

| | Description | Concept ID | Synonyms | Definition |
|--------------------|---|------------|--|--|
| Category | ABNORMALITIES OF TEETH | 426390 | | |
| Subcategory | Cementum Defect | 399115 | | |
| | Cementum aplasia | 346218 | | Absence or paucity of cellular cementum (seen in hypophosphatasia) |
| | Cementum hypoplasia | 180000 | Hypocementosis | Disturbance in structure of cementum, often seen in Juvenile periodontitis |
| | Florid cemento-osseous dysplasia | 958771 | Familial multiple cementoma; Florid osseous dysplasia | Diffuse, multifocal cementosseous dysplasia |
| | Hypercementosis (Cementation hyperplasia) | 901056 | Cementation hyperplasia; Cementosis; Cementum hyperplasia | An idiopathic, non-neoplastic condition characterized by the excessive buildup of normal cementum (calcified tissue) on the roots of one or more teeth |
| | Hypophosphatasia | 976620 | Hypophosphatasia mild; Phosphoethanol-aminuria | Cementum defect; Autosomal recessive hereditary disease characterized by deficiency of alkaline phosphatase |
| | Odontohypophosphatasia | 976622 | | Hypophosphatasia in which dental findings are the predominant manifestations of the disease |
| | Pulp sclerosis | 179199 | Dentin sclerosis | Dentinal reaction to aging OR mild irritation |
| Subcategory | Dentin Defect | 515523 | | |
| | Dentinogenesis imperfecta (Shell Teeth) | 856459 | Dentin, Hereditary Opalescent; Shell Teeth | Dentin Defect; Autosomal dominant genetic disorder of tooth development |
| | Dentinogenesis Imperfecta - Shield I | 977473 | Dentin, Hereditary Opalescent; Shell Teeth | Dentin Defect; Autosomal dominant genetic disorder of tooth development |
| | Dentinogenesis Imperfecta - Shield II | 976722 | Dentin, Hereditary Opalescent; Shell Teeth | Dentin Defect; Autosomal dominant genetic disorder of tooth development |
| | Dentinogenesis Imperfecta - Shield III | 976145 | Dentin, Hereditary Opalescent; Shell Teeth | Dentin Defect; Autosomal dominant genetic disorder of tooth development |
| | Dentin dysplasia | 885568 | Dentinal dysplasia | Dentin Defect; Genetic disorder of teeth commonly exhibiting an autosomal dominant inheritance and is characterized by presence of normal enamel but atypical dentin with abnormal pulpal morphology |
| | Dentin Dysplasia - Shield I | 977686 | Dentinal dysplasia; Radicular Dentin dysplasia; Rootless tooth | Dentin Defect; Genetic disorder of teeth commonly exhibiting an autosomal dominant inheritance and is characterized by presence of normal enamel but atypical dentin with abnormal pulpal morphology |
| | Dentin Dysplasia - Shield II | 976449 | Dentinal dysplasia; Anomalous dysplasia; Coronal Dentin dysplasia | Dentin Defect; Genetic disorder of teeth commonly exhibiting an autosomal dominant inheritance and is characterized by presence of normal enamel but atypical dentin with abnormal pulpal morphology |
| | Sensitive dentin | 766955 | Dentine sensitivity/Tooth hypersensitivity; Tooth sensitivity/Dentine hypersensitivity | Pain/Sensation that develops following exposure of dentin surfaces |
| Subcategory | Enamel and Dentin Defect | 670232 | | |
| | Regional odontodysplasia | 507477 | Odontogenic dysplasia; Ghost tooth | Uncommon developmental abnormality of teeth usually localized to a certain area and nonhereditary |

| | Description | Concept ID | Synonyms | Definition |
|--------------------|--|------------|---|---|
| | Odontogenesis imperfecta | 346255 | | An odontogenic developmental anomaly characterized by deficient formation of enamel and dentin causing the affected teeth to exhibit a marked reduction in radiopacity so that unusually large pulp chambers with thin enamel and dentin are seen |
| | Disease of hard tissues of teeth, unspecified | 817463 | | Unspecified disease involving the hard tissues of the teeth |
| Subcategory | Enamel Defect | 936289 | | |
| | Agenesis of enamel | 726797 | Enamel agenesis | Autosomal recessive rough hypoplastic Amelogenesis Imperfecta nearly devoid of enamel |
| | Amelogenesis imperfecta | 375592 | Congenital enamel hypoplasia | Enamel defect; Genetically based enamel dysplasia that may occur in both primary and permanent dentitions, but most commonly in the permanent dentition |
| | Amelogenesis Imperfecta - Hypocalcified | 976979 | Congenital enamel hypoplasia | Enamel defect; Genetically based enamel dysplasia that may occur in both primary and permanent dentitions, but most commonly in the permanent dentition |
| | Amelogenesis Imperfecta - Hypomaturation | 977135 | Congenital enamel hypoplasia | Enamel defect; Genetically based enamel dysplasia that may occur in both primary and permanent dentitions, but most commonly in the permanent dentition |
| | Amelogenesis Imperfecta - Hypoplastic | 977606 | Congenital enamel hypoplasia | Enamel defect; Genetically based enamel dysplasia that may occur in both primary and permanent dentitions, but most commonly in the permanent dentition |
| | Enamel dysplasia | 976102 | | Abnormality of Enamel formation |
| | Enamel hypocalcification | 224945 | Enamel hypomineralization | Formation of normal amount of enamel matrix which is not fully matured |
| | Enamel hypoplasia | 416098 | | Incomplete or defective formation of enamel organic matrix and is usually caused either by some hereditary factors or by some environmental factors |
| | Enamel pearls | 817431 | | Small nodules of enamel are occasionally formed on the roots of teeth; Harmatomas |
| | Tooth discoloration | 825338 | Dental stains | |
| | Extrinsic discoloration | 666963 | Dental stain | Stains that develop on the outer surface of a tooth |
| | Intrinsic discoloration | 349705 | Dental Stain | Stains that arise from an endogenous material that is incorporated into the enamel or dentin and can not be removed by prophylaxis |
| | Irradiated enamel | 822236 | Irradiated teeth enamel | Irradiated enamel (disorder)/Irradiated teeth enamel |
| | Mottled enamel | 946109 | Fluorosis, Mottling of tooth enamel; Endemic mottling | Spotted speckled tooth enamel typically caused by drinking water containing excessive fluorides during the time the teeth are calcifying |
| | Nonfluoride enamel opacities | 971245 | Non-fluoride enamel opacities | Non-fluoride enamel opacities |
| | Nonfluoride enamel opacities - demarcated (non-endemic mottling) | 856686 | Non-fluoride enamel opacities | Non-fluoride enamel opacities |

| | Description | Concept ID | Synonyms | Definition |
|--------------------|--|------------|--|--|
| | Nonfluoride enamel opacities - non demarcated (non-endemic mottling) | 856687 | Non-fluoride enamel opacities | Non-fluoride enamel opacities |
| | Turner's tooth (Turner's hypoplasia) | 817386 | Localized enamel or dentine hypoplasia; Enamel hypoplasia of single tooth; Turner's hypoplasia | Malformation of the coronal portion of the permanent teeth as a result of damage during the development of the teeth by inflammation or traumatic injury |
| Subcategory | Eruption Abnormalities | 779253 | | |
| | Ankylosis | 594063 | Dentoalveolar Ankylosis | Solid fixation of a tooth resulting from fusion of the cementum and alveolar bone, with obliteration of at least a portion of the periodontal ligament |
| | Delayed eruption | 351325 | Delayed dental development; Delayed dental eruption; Delayed teeth eruption; Delayed tooth eruption; Late eruption of teeth; Late tooth eruption | Tooth eruption more than 2 SD beyond the mean eruption age. |
| | Deviation in eruption sequence | 906548 | Variation in sequence of eruption | Variation in sequence of eruption |
| | Disturbances in tooth eruption | 943944 | Disruption in tooth eruption | A deviation in the pattern of eruption |
| | Ectopic eruption | 194241 | | A tooth located away from normal position |
| | Ectopic eruption (buccal) | 661311 | | A tooth located away from normal position found in the buccal area |
| | Ectopic eruption (lingual) | 914465 | Ectopic eruption (palatal) | A tooth located away from normal position found in the lingual/palatal area |
| | Eruption cyst | 597521 | Follicular eruption of cyst of jaw; Follicular cyst of jaw; Eruptive odontogenic cyst; Tooth eruption hematoma; Eruption cyst of jaw; Tooth eruption haematoma; Tooth eruption cyst; Eruption Hematoma | Soft-tissue variant of the dentigerous cyst, associated with an erupting deciduous or permanent tooth |
| | Eruption sequestrum | 625884 | | A tiny irregular spicule of bone overlying the crown of an erupting permanent molar, found just prior to or immediately following the emergence of the tips of the cusps through the oral mucosa |
| | Impacted tooth | 688158 | | Failure of tooth to fully erupt into the oral cavity within its expected developmental time period and can no longer be reasonably expected to do so |
| | Natal Tooth | 734410 | Predeciduous dentition | Tooth/teeth present at birth |
| | Neonatal Tooth | 413847 | Predeciduous dentition | Tooth that erupts within first 28 days of life |
| | Normal development and eruption | 977935 | | Normal/Standard development and eruption of dental structure |
| | Over-retention of primary tooth | 843734 | Retained deciduous | Deciduous teeth retained for a long time beyond their usual shedding schedule |
| | Pericoronitis | 842156 | Pericoronitides; Operculitis | Inflammation or infection of the soft tissues adjacent to a partially erupted tooth |
| | Acute pericoronitis (Operculitis) | 798860 | Pericoronitides; Operculitis | Acute inflammation or infection of the soft tissues adjacent to a partially erupted tooth |

| | Description | Concept ID | Synonyms | Definition |
|--------------------|---|-------------------|---|--|
| | Chronic pericoronitis (Operculitis) | 798859 | Pericoronitides; Operculitis | Chronic inflammation or infection of the soft tissues adjacent to a partially erupted tooth |
| | Premature eruption of tooth | 311072 | Dentia praecox | Early tooth eruption |
| | Premature exfoliation | 686822 | Premature shedding | Premature loss of tooth |
| | Submerged tooth | 848086 | Embedded tooth | Previously erupted tooth embedded in oral tissues and unable to make contact with opposing tooth; Usually a retained deciduous tooth (usually a molar) with its occlusal surface at a lower level than the adjoining permanent teeth |
| | Supraerupted tooth | 468972 | Hypereruption | Eruption beyond the plane of occlusion |
| Subcategory | Number Alteration | 605952 | | |
| | Missing tooth or teeth (anodontia) | 625789 | | Condition in which there is absence of a tooth or teeth in the oral cavity |
| | Missing teeth - complete anodontia (acquired) | 378388 | Acquired anodontia, Ccomplete loss of teeth; edentulous maxilla; edentulous mandible | Condition in which there is acquired absence of teeth in the oral cavity |
| | Missing teeth - complete anodontia (congenital) | 391503 | Congenital anodontia; Complete absence of teeth | Condition in which there is congenital absence of teeth in the oral cavity |
| | Missing tooth - partial anodontia (acquired) | 251722 | Acquired hypodontia; Partial missing teeth | Acquired condition of having fewer than the normal complement of teeth |
| | Missing tooth - partial anodontia (congenital) | 775775 | Congenital hypodontia; Partial missing teeth | Condition in which there is congenital absence of some teeth in the oral cavity |
| | Supernumerary teeth (including fourth molar) | 972513 | Hyperdontia | Any tooth in addition to the normal 32 teeth in the secondary dentition or the 20 teeth in the primary dentition |
| | Mesiodens | 782463 | Hyperdontia--mesiodens (supernumerary) | Supernumerary teeth occurring between the maxillary central incisors |
| | Peridens | 399150 | Hyperdontia--peridens (supernumerary) | Supernumerary teeth that erupt ectopically, either buccally or lingually to the normal arch |
| | Paramolar | 448709 | Hyperdontia--paramolar (supernumerary) | Supernumerary tooth located opposite to the mesiobuccal cusp of the second or the third molar to which it may be fused |
| | Distomolar | 685731 | Fourth molar | Supernumerary tooth located distal to the third molar and its variations in shape are similar to those of the paramolar |
| Subcategory | Pulp Abnormalities | 863230 | | |
| | Pulp calcification | 111228 | Dental Pulp Calcification; Dental Pulp Stones; Denticles; Dental Pulp Stone; Denticle; Dental Pulp Calcifications | Irregular, roughly spherical mineralized masses which may be found in any part of the pulp and occur in most permanent tooth esp. in older adults |
| Subcategory | Shape Alteration | 232125 | | |
| | Concrescence | 393560 | | Condition showing a union of adjacent teeth by only cementum |
| | Dens evaginatus | 248224 | Evaginated odontome | Evagination of cusp of tooth |
| | Dens invaginatus (dens in dente) | 513318 | Invaginated odontome; Dens in dente (disorder) | Invagination of crown of tooth; Invagination of cusp of crown of tooth |
| | Dilaceration | 461737 | Dilaceration of tooth (disorder) | Developmental disturbance in shape of tooth. It refers to an angulation, or a sharp bend or curve, in the root or crown of a formed tooth |
| | Disturbances in tooth formation | 175956 | | |

| Description | Concept ID | Synonyms | Definition |
|---|------------|--|---|
| Fusion | 533608 | Coalition; Synostosis | Union of two adjacent tooth germs, always involving the dentin |
| Gemination | 829523 | Gemination of teeth; Twinning of teeth | Partial development of two teeth from a single tooth bud |
| Horner's tooth | 879967 | Horner's teeth | Incisor teeth having a hypoplastic groove running horizontally across them |
| Hutchinson's incisor | 937197 | Notched incisors of Hutchinson; Hutchinson's teeth (disorder); Screwdriver teeth; Hutchinson-Boeck teeth | Tooth that is screwdriver shaped, broad cervically, and narrow incisally, with a notched incisal edge. Seen in congenital syphilis |
| Mulberry molars | 840069 | Moon's molar | Irregular, tabulated molar occlusal surface. Seen in congenital syphilis |
| Peg lateral | 854990 | Peg shaped lateral | Shape alteration of tooth |
| Shovel-shaped incisor | 859147 | | Incisors that have marked lateral borders occurring lingually |
| Supernumerary cusp | 932580 | Supernumerary tooth cusp | Shape alteration |
| Supernumerary roots | 557911 | Supernumerary root of tooth | Higher than expected number of roots. Shape alteration |
| Talon cusp | 688223 | Accessory cusp | Anomalous projection from the lingual aspect of the maxillary and mandibular permanent incisors |
| Taurodontism | 292548 | Bull tooth | Developmental condition in which the crown portion of the tooth is enlarged at the expense of its roots. Affected tooth exhibits elongated pulp chamber with rudimentary root formation |
| Turner's hypoplasia | 817386 | Turner's tooth (disorder) | Localized enamel or dentine hypoplasia; Enamel hypoplasia of single tooth |
| Subcategory Size Alteration | 382259 | | |
| Abnormalities of size and form of teeth | 883349 | | |
| Macrodontia | 777966 | Megadontia/Macrodontia (disorder)/Macrodontism/Megalodontia | Increased size of one or more teeth. |
| Microdontia | 638439 | Small tooth | |
| Peg lateral | 854990 | Peg shaped lateral | Shape alteration of tooth |
| Tuberculum paramolare | 602341 | Bolk cusp/the paramolar tubercle | Additional cusp formation occurring on the buccal surfaces of upper and lower permanent molars |

| Category | Description | Concept ID | Synonyms | Definition |
|---------------------------------------|---|------------|---|---|
| CARIES/LOSS OF TOOTH STRUCTURE | | 851159 | | |
| Caries | | 470779 | Dental caries/Tooth Decay | |
| | Primary enamel caries | 445689 | | |
| | Primary enamel caries - superficial | 412589 | | |
| | Non-active initial superficial enamel caries | 977805 | Arrested non-cavitated caries in enamel less than 1/2 way to DEJ, Initial Caries; ICDAS 01, C2, Cinitial, Non-AC 1icdas, RA1, ICCMS Initial inactive | Non-cavitated inactive caries less than 1/2 way to DEJ, white spot, brown spot, pit and fissure enamel caries (less than 1/2 way to DEJ), caries lesion regression, remineralized caries lesion, Arrested incipient caries in enamel less than 1/2 way to DEJ |
| | Active initial superficial enamel caries | 977804 | Active non-cavitated caries in enamel less than 1/2 way to DEJ, Initial Caries; ICDAS 01, C2, Cinitial, AC-1icdas, RA1, ICCMS Initial active | Non-cavitated progressive caries, white spot, brown spot, pit and fissure enamel caries (less than 1/2 way to DEJ) |
| | Primary enamel caries - deep | 489879 | | |
| | Non-active initial deep enamel caries | 942648 | Arrested non-cavitated caries in enamel greater than 1/2 way to DEJ, Initial Caries; ICDAS 02, C2, Cinitial, Non-AC 2icdas, RA2, ICCMS Initial inactive | Non-cavitated inactive caries greater than 1/2 way to DEJ, white spot, brown spot, pit and fissure enamel caries (greater than 1/2 way to DEJ), caries lesion regression, remineralized caries lesion |
| | Active initial deep enamel caries | 942646 | Active non-cavitated caries in enamel greater than 1/2 way to DEJ, Initial Caries; ICDAS 02, C2, Cinitial, AC 2icdas, RA2, ICCMS Initial active | Non-cavitated progressive caries, white spot, brown spot, pit and fissure enamel caries (greater than 1/2 way to DEJ) |
| | Primary dentin caries | 958887 | | |
| | Primary moderate dentin caries | 921484 | | |
| | Primary non-active moderate dentin caries outer 1/3 of dentin | 942692 | Arrested Primary caries (at DEJ); Non-active Moderate Caries; Non-AC ICDAS 03, C3, Cmoderate, 3icdas, RA3, ICCMS Moderate inactive | |
| | Primary active moderate dentin caries outer 1/3 of dentin | 549595 | Active Primary caries (at DEJ) ; Active Moderate Caries; AC ICDAS 03, C3, Cmoderate, 3icdas, RA3, ICCMS Moderate active | Active cavitated primary caries in dentin to DEJ, coronal primary caries lesion, Primary caries (at DEJ) |
| | Primary non-active moderate dentin caries middle 1/3 of dentin | 942218 | Arrested Primary caries (< 1/2 distance to the pulp), Non-active Moderate Caries; Non-AC ICDAS 04, C3, Cmoderate, 4icdas, RB4, ICCMS Moderate inactive | |
| | Primary active moderate dentin caries middle 1/3 of dentin | 941503 | Active Primary caries (< 1/2 distance to the pulp), Active Moderate Caries; AC ICDAS 04, C3, Cmoderate, 4icdas, RB4, ICCMS Moderate active | Active cavitated primary caries in dentin < 1/2 distance to the pulp, coronal primary caries lesion, Primary caries (< 1/2 distance to the pulp) |
| | Primary extensive dentin caries | 992483 | | |
| | Primary non-active extensive dentin caries inner pulpal 1/3 of dentin | 942169 | Arrested Primary caries (> 1/2 distance to the pulp) ; Non-active Extensive decay, Non-AC ICDAS 05, C4, Cextensive, 5icdas, RC5, ICCMS Extensive inactive | |

| Description | Concept ID | Synonyms | Definition |
|---|-------------------|--|--|
| Primary active extensive dentin caries inner pulpal 1/3 of dentin | 759185 | Active Primary caries (> 1/2 distance to the pulp), AC ICDAS 05, C4, Cextensive, 5icdas, RC5, ICCMS Extensive active | Active cavitated primary caries in dentin > 1/2 distance to the pulp, coronal primary caries lesion, Primary caries (> 1/2 distance to the pulp) |
| Primary non-active extensive dentin caries to the pulp | 942850 | Arrested Primary Caries to the pulp, Non-AC ICDAS 06, C4, Cextensive, 6icdas, RC6, ICCMS Extensive inactive | |
| Primary active extensive dentin caries to the pulp | 977231 | Active Primary Caries to the pulp, AC ICDAS 06, C4, Cextensive, 6icdas, RC6, ICCMS Extensive active | Active cavitated primary caries extending to the pulp |
| Recurrent enamel caries | 911568 | | |
| Recurrent non-active initial enamel caries | 912745 | Arrested Recurrent caries - Enamel, Non-AC ICDAS+01 CARS; ICDAS+02 CARS, ICCMS Initial inactive | |
| Recurrent active initial enamel caries | 976905 | Active Recurrent caries - Enamel, Active Initial recurrent caries; AC ICDAS+01 CARS; ICDAS+02 CARS, ICCMS Initial active | Caries around existing restoration with depth in enamel |
| Recurrent dentin caries | 955148 | | |
| Recurrent moderate dentin caries | 967845 | | |
| Recurrent non-active moderate dentin caries outer 1/3 of dentin | 912737 | Arrested Recurrent caries - DEJ, Non-active Moderate recurrent caries; Non-AC ICDAS+03 CARS, ICCMS Moderate inactive | Caries around existing restoration with depth to DEJ |
| Recurrent active moderate dentin caries outer 1/3 of dentin | 144173 | Active Recurrent caries - DEJ, Active Moderate recurrent caries; AC ICDAS+03 CARS, ICCMS Moderate active | |
| Recurrent non-active moderate dentin caries middle 1/3 of dentin | 144114 | Arrested Recurrent caries - (< 1/2 distance to the pulp), Non-active Moderate recurrent caries; Non-AC ICDAS+04 CARS, ICCMS Moderate inactive | Caries around existing restoration with depth less than half way to pulp |
| Recurrent active moderate dentin caries middle 1/3 of dentin | 976062 | Active Recurrent caries , Active Moderate recurrent caries; AC ICDAS+04 CARS, ICCMS Moderate active | |
| Recurrent extensive dentin caries | 921457 | | |
| Recurrent non-active extensive dentin caries inner pulpal 1/3 of dentin | 976419 | Arrested Recurrent caries - (> 1/2 the distance to the pulp), Non-active Extensive recurrent decay; Non-AC ICDAS+05 CARS, ICCMS Extensive inactive | Caries around existing restoration with depth greater than half way to pulp |
| Recurrent active extensive dentin caries inner pulpal 1/3 of dentin | 976406 | Active Recurrent caries - (> 1/2 the distance to the pulp), Active Extensive recurrent decay; AC ICDAS+05 CARS, ICCMS Extensive active | |
| Recurrent non-active extensive dentin caries to the pulp | 864592 | Arrested Recurrent caries - (to the pulp), Non-active Extensive recurrent caries; Non-AC ICDA+06 CARS, ICCMS Extensive inactive | Caries around existing restoration with depth to the pulp |

| Description | Concept ID | Synonyms | Definition |
|---|------------|---|--|
| Recurrent active extensive dentin caries to the pulp | 976435 | Active Recurrent caries - (to the pulp), Active Extensive recurrent caries; AC ICDA+06 CARS, ICCMS Extensive active | |
| Cervical caries | 888662 | Root caries | Caries on cervical/root portion of the tooth |
| Smooth surface caries lesions (buccal and lingual surfaces) | 888663 | Buccal surface caries; Lingual survey caries | Caries located on the buccal and lingual surfaces of teeth |
| Approximal caries lesion | 888664 | Approximal caries lesion | Caries located on the mesial and distal surfaces of teeth |
| Root caries | 847562 | | |
| Non-cavitated root caries | 847224 | | |
| Non-cavitated inactive root caries | 888629 | Arrested Root caries non-cavitated, RC1, RC In, non-cavitated inactive | Caries on cervical/root portion of the tooth |
| Non-cavitated active root caries | 888259 | Active Root caries non-cavitated, RC1, RC A, non-cavitated active | Caries on cervical/root portion of the tooth |
| Cavitated root caries | 816654 | | |
| Cavitated inactive root caries | 888114 | Arrested Root caries cavitated, RC3, RC In, ICCMS cavitated inactive | Caries on cervical/root portion of the tooth |
| Cavitated active root caries | 161157 | Active Root caries cavitated, RC3, RC A, ICCMS cavitated active | Caries on cervical/root portion of the tooth |
| Arrested dental caries | 351341 | Non-active dental caries | Cariou lesion after initiation and destruction of some tooth surface, stops progressing and becomes inactive as the area becomes self cleansing |
| Nonrestorable carious tooth | 473642 | Extensive decay; ICDAS 06, Extensive recurrent caries; ICDA+06 CARS | Caries in which the lesion has removed so much of the crown that its original site of initiation can not be determined with any certainty |
| Early childhood caries | 473643 | Early childhood tooth decay, nursing caries | Presence of 1 or more decayed (noncavitated or cavitated lesions), missing (due to caries), or filled tooth surfaces in any primary tooth in a child 71 months of age or younger |
| Rampant caries | 560100 | | Advanced or severe decay on multiple surfaces of many teeth |
| Pre-eruptive intracoronal resorption | 483152 | Pre-eruptive caries | Defects on the crowns of developing permanent teeth which are evident radiographically, even though no infection of the primary tooth is apparent |
| Subcategory Loss of Tooth Structure | 756011 | | |
| Healthy tooth structure/hard tissue | 976109 | Healthy hard tissue of teeth; Caries free | Healthy hard tissue of teeth |
| Retained dental root | 344500 | Retained root | Partial root structure remaining in the jaw following the extraction or fracture of a natural tooth |
| Full coverage dental crown needed | 356874 | | |
| Large restoration: Needs full coverage | 903155 | | Large restoration with risk of fracture of tooth |
| Risk of fracture: Needs full coverage | 976307 | | |
| RCT treated tooth: Needs full coverage | 498274 | | Root canal treated tooth with risk of fracture. |
| Incomplete tooth fracture | 976200 | | |

| Description | Concept ID | Synonyms | Definition |
|---|-------------------|---|---|
| Insufficient anatomic crown height | 498276 | Insufficient remaining coronal tooth structure | When the part of a tooth that is covered with enamel, extending from the cemento-enamel junction to the cusp tips or incisal edge is not sufficient |
| Insufficient clinical crown length | 498277 | Insufficient remaining coronal tooth structure, Insufficient ferrule | Insufficient portion of the tooth above the gingival margin |
| Compromised crown - root ratio of tooth | 425230 | | |
| Attrition of teeth | 563279 | Excessive attrition of teeth/Excessive dental attrition/Tooth attrition/Wear of teeth/Excessive attrition of teeth (disorder)/Excessive dental attrition, NOS/Excessive attrition of teeth, NOS | Tooth wear |
| Approximal wear | 314765 | | Wear of mesial/distal surface of tooth from mechanical or chemical causes |
| Occlusal wear | 174080 | Demastication, Occlusal wear of teeth (disorder)/Occlusal tooth wear | Loss of substance on opposing occlusal units or surfaces |
| Abrasion of teeth | 969297 | Dental abrasion | Pathologic wear of tooth due to mechanical force |
| Abrasion of teeth due to dentifrice | 724309 | Dental abrasion | Dental abrasion due to dentifrice use |
| Habitual abrasion of teeth | 265432 | Habitual friction injury of tooth (disorder) | Loss of tooth structure by mechanical forces from a foreign element |
| Occupational abrasion of teeth | 551726 | Occupational friction injury of tooth (disorder) | Loss of tooth structure by mechanical forces from a foreign element |
| Ritual abrasion of teeth | 329191 | Ritual friction injury of tooth | Loss of tooth structure by mechanical forces from a foreign element |
| Traditional abrasion of teeth | 282303 | Traditional tooth abrasion | Loss of tooth structure by mechanical forces from a foreign element |
| Erosion of teeth | 902579 | Tooth Erosion | Wear of teeth from chemical causes; Tooth Wear |
| Idiopathic Erosion of teeth | 176167 | | Teeth erosion of unknown cause |
| Occupational Erosion of teeth | 104651 | Occupational teeth erosion | Wear of teeth from chemical causes; Tooth Wear |
| Erosion of teeth due to medicine | 814980 | | Teeth erosion due to medicine/Erosion of teeth due to medicine (disorder) |
| Erosion of teeth due to persistent vomiting | 589058 | Erosion due to gastric acid regurgitation | Teeth erosion due to vomiting/Erosion of teeth due to persistent vomiting (disorder) |
| Abfraction | 248439 | Tooth wear | Loss of tooth structure from flexural forces |
| Biocorrosion | 248440 | Non carious cervical lesion | Biocorrosion embraces the chemical, biochemical, and electrochemical degradation of tooth substance caused by endogenous and exogenous acids, proteolytic agents, as well as the piezoelectric effects only on dentin |
| Non carious cervical lesion | 977806 | Abrasion; Abfraction; Biocorrosion; Erosion | Non carious cervical lesion |
| Fracture of tooth | 919706 | Crown-Root fracture | |
| Enamel fracture | 407428 | Ellis and Davey Class I fracture | Uncomplicated tooth crown fracture (disorder) (class I fracture) |
| Enamel and dentin fracture | 757380 | Ellis and Davey Class II fracture, Fractured cusp, Fractured tooth cusp | Tooth crown fracture (disorder) (class II fracture) |

| Description | Concept ID | Synonyms | Definition |
|---|------------|--|---|
| Enamel and dentin fracture with pulp involvement | 944829 | Ellis and Davey Class III fracture | Tooth crown fracture (disorder) (class III fracture) |
| Vertical tooth fracture without pulp involvement (Class IV) | 477708 | (Class IV fracture with no pulpal involvement) | Vertical tooth fracture without pulp involvement (Class IV) |
| Horizontal root fracture (apical) | 245991 | Horizontal root fracture located at the apical third | Horizontal root fracture located at the apical third |
| Horizontal root fracture (mid-root) | 616314 | Horizontal root fracture located at the middle third | Horizontal root fracture located at the middle third |
| Horizontal root fracture (cervical) | 391754 | Horizontal root fracture located at the cervical third | Horizontal root fracture located at the cervical third |
| Vertical tooth fracture with pulp involvement (Class IV) | 977129 | (Class IV fracture with no pulpal involvement) | Vertical tooth fracture without pulp involvement (Class IV) |
| Internal granuloma of pulp | 814806 | Pink spot | Closed chronic granulomatous pulpitis; Internal root resorption |
| Resorption of teeth (external) | 460188 | External tooth resorption | External tooth resorption |
| Exfoliation of teeth due to systemic causes | 169454 | Shedding of tooth due to systemic causes | Exfoliation of tooth from systemic causes |
| Concussion of tooth | 977492 | Dental concussion | Injury to supporting tissues of tooth, without displacement |
| Luxation | 976239 | Subluxation | Displacement of tooth |
| Avulsion | 976989 | Tooth Exarticulation | Complete displacement of tooth from the socket |
| Subcategory ICDAS | 911992 | | |
| ICDAS - Coronal | 911915 | | |
| Sound coronal portion of tooth | 976167 | | |
| Initial stage coronal caries | 922149 | | |
| Initial stage coronal caries - active | 976127 | | |
| Initial stage coronal caries - non active | 916478 | | |
| Moderate stage coronal caries | 988526 | | |
| Moderate stage coronal caries - active | 916789 | | |
| Moderate stage coronal caries - non active | 916713 | | |
| Extensive stage coronal caries | 957842 | | |
| Extensive stage coronal caries - active | 911972 | | |
| Extensive stage coronal caries - non active | 911919 | | |
| ICDAS - Root | 924684 | | |
| Sound radicular portion of tooth | 924651 | | |
| Non-cavitated root caries | 958741 | | |

| Description | Concept ID | Synonyms | Definition |
|---|------------|---|--|
| Non-cavitated root caries - active | 924682 | | |
| Non-cavitated root caries - non active | 924542 | | |
| Cavitated root caries | 921479 | | |
| Cavitated root caries - active | 924516 | | |
| Cavitated root caries - non active | 924852 | | |
| ICDAS - Radiographic | 915748 | | |
| No radiolucency | 911465 | | |
| Radiolucency in the outer 1/2 of the enamel | 911497 | | |
| Radiolucency in the inner 1/2 of the enamel + EDJ | 911422 | | |
| Radiolucency limited to the outer 1/3 of dentin | 911499 | | |
| Radiolucency reaching the middle 1/3 of dentin | 914259 | | |
| Radiolucency reaching the inner 1/3 of dentin, clinically cavitated | 914211 | | |
| Radiolucency into the pulp, clinically cavitated | 914236 | | |
| Subcategory Caries Risk | 907191 | | |
| Diet high in sugar | 244680 | Cariogenic diet | Diet high in sugar |
| Xerostomia | 494038 | Hyposalivations; Asialia; Mouth Dryness | Dry mouth |
| Deep occlusal groove (retentive pits and fissures) | 218072 | | Deep occlusal groove (retentive pits and fissures) |
| Caries risk low | 391460 | Procedure to determine low caries risk | No incipient or cavitated primary or secondary carious lesions during the last three years and no factors that may increase caries risk |
| Caries risk moderate | 612006 | Procedure to determine moderate caries risk | One or two incipient or cavitated primary or secondary carious lesions in the last three years. No incipient or cavitated primary or secondary carious lesions in the last three years but presence of at least one factor that may increase caries risk |
| Caries risk high | 596479 | Procedure to determine high caries risk | 3 or more incipient or cavitated primary or secondary carious lesions in the last 3 years; Suboptimal fluoride exposure; Xerostomia; Presence of multiple factors that may increase caries risk |
| Caries risk extreme | 977581 | Procedure to determine extreme caries risk | High risk plus severe salivary gland hypofunction |
| Bacterial challenge low | 976185 | Low bacteria challenge | Low bacteria challenge |
| Bacterial challenge medium | 976153 | Medium bacteria challenge | Medium bacteria challenge |
| Bacterial challenge high | 976791 | High bacteria challenge | High bacteria challenge |

| | Description | Concept ID | Synonyms | Definition |
|--------------------|---|------------|--|--|
| Category | ENDODONTICS | 883411 | | |
| Subcategory | Pulpal Diagnosis | 496940 | | |
| | Normal pulp | 764196 | Healthy pulp | Healthy pulp |
| | Reversible pulpitis | 785126 | | |
| | Asymptomatic reversible pulpitis | 668929 | Asymptomatic reversible pulpitudes | Pulpal inflammation without symptoms that has the potential to heal |
| | Symptomatic reversible pulpitis | 384352 | Symptomatic reversible pulpitudes | Pulpal inflammation with symptoms that has the potential to heal |
| | Irreversible pulpitis | 785881 | | |
| | Asymptomatic irreversible pulpitis | 741469 | Asymptomatic irreversible pulpitudes | Pulpal inflammation without symptoms that does not have the potential to heal |
| | Symptomatic irreversible pulpitis | 855081 | Symptomatic irreversible pulpitudes | Pulpal inflammation with symptoms that does not have the potential to heal |
| | Pulp Necrosis | 960436 | Dental Pulp Necrosis; Devitalized dental pulp; Pulp gangrene | Dental pulp that is dead |
| | Previously endodontically treated | 938389 | Previously endodontically treated tooth | Tooth that already has a root canal treatment |
| | Previously initiated therapy | 193222 | | Tooth with incomplete endodontic treatment |
| Subcategory | Secondary pulpal conditions | 193397 | | |
| | Pulpstones | 486048 | Dental Pulp Calcification; Dental Pulp Stones; Denticles | Irregular, roughly spherical mineralized masses which may be found in any part of the pulp and occur in most permanent tooth esp. in older adults |
| | Hyperplastic pulpitis | 247780 | Chronic hyperplastic pulpitis (disorder); Pulp polyp | Excessive proliferation of chronically inflamed pulp |
| | Internal resorption | 294917 | Internal resorption of tooth; Internal granuloma of pulp; Pathological tooth resorption - internal | Root resorption |
| Subcategory | Periapical diagnosis | 219854 | | |
| | Normal apical tissues | 581012 | Healthy apical tissues | Healthy apical tissues |
| | Asymptomatic apical periodontitis(Chronic apical periodontitis) | 726200 | Apical periodontitides; Chronic apical periodontitis | Inflammation of the periapical tissues |
| | Symptomatic apical periodontitis (Acute apical periodontitis) | 208602 | Symptomatic periapical periodontitis; periapical periodontitides; Acute apical periodontitis | Inflammation of the periapical tissues |
| | Acute apical abscess | 260319 | Apical , Suppurative; Acute alveolar, Abscess, Apical | Acute inflammation of tissues surrounding the apical portion of a tooth, associated with the collection of pus, resulting from infection following pulp infection through a carious lesion or as a result of an injury causing pulp necrosis |
| | Chronic apical abscess | 486322 | Chronic periodontitis, Apical , Suppurative; Chronic alveolar, Abscess, Apical | Chronic inflammation of tissues surrounding the apical portion of a tooth, associated with the collection of pus, resulting from infection following pulp infection through a carious lesion or as a result of an injury causing pulp necrosis |

| Description | Concept ID | Synonyms | Definition |
|--|------------|---|--|
| External root resorption | 734586 | External resorption of tooth (disorder); External resorption of root of tooth; Pathological tooth resorption - external | Root resorption |
| Replacement resorption | 785129 | | |
| External inflammatory resorption | 778124 | | |
| Surface resorption | 741259 | | |
| Apical pressure resorption | 753159 | | |
| Cervical external resorption | 759418 | | |
| Condensing osteitis | 694111 | Osteitis condensans; Sclerosing osteitis; Focal sclerosing osteomyelitis; | Change in the density of the bone that usually occurs as a result of a low-grade infection or chronic irritation to the tissue surrounding the root of a tooth |
| Calcific metamorphosis (obliteration of rootcanal) | 976954 | Calcification of rootcanal/ pulpal dystrophic calcification | Obliteration of rootcanal |
| Incomplete root formation | 394782 | | |
| Subcategory Root Fractures | 369743 | | |
| Horizontal root fracture | 357149 | | |
| Horizontal root fracture (cervical) | 391754 | | Horizontal root fracture involving the cervical third |
| Horizontal root fracture (mid-root) | 616314 | | Horizontal root fracture involving the middle third |
| Horizontal root fracture (apical) | 245991 | | Horizontal root fracture involving the apical third |
| Vertical root fracture | 951450 | | Vertical root fracture |
| Previous endodontic treatment - Risk of fracture | 976234 | Brittle teeth due to previous endodontic treatment | Previous endodontic treatment - Brittle tooth |

| | Description | Concept ID | Synonyms | Definition |
|--------------------|---|------------|--|---|
| Category | PERIODONTICS | 333899 | | |
| Subcategory | Periodontal Health | 976751 | | |
| | Healthy Periodontium | 976378 | Normal periodontium | Healthy periodontium |
| | Healthy Periodontium with attachment loss | 977604 | Normal periodontium with attachment loss | Healthy periodontium with attachment loss |
| | Healthy Implant | 963258 | | |
| Subcategory | Gingival Diseases-Plaque induced | 976942 | | |
| | Gingivitis associated with dental plaque | 925478 | | |
| | Gingivitis asc. with dental plaque without other local contributing factors | 977420 | Dental plaque induced gingival disease without local contributing factors; Loc. Gingivitis associated with plaque only, severe; Generalized Gingivitis associated with plaque only, severe | Dental plaque induced gingival disease without local contributing factors |
| | Gingivitis asc. with dental plaque and other local contributing factors | 977668 | Dental plaque induced gingival disease with local contributing factors | Dental plaque induced gingival disease with local contributing factors |
| | Dental calculus | 921456 | | |
| | Subgingival calculus | 670180 | Subgingival tartar; Serumal calculus | Calculus deposited on the tooth structure and found apical to the gingival margin within the periodontal pocket |
| | Supragingival calculus | 153518 | Supragingival tartar; Salivary calculus | Calculus deposited on the teeth coronal to the gingival margin |
| | Diabetes mellitus associated gingivitis | 977274 | Diabetes associated gingivitis | Diabetes associated gingivitis |
| | Drug induced gingivitis-oral contraceptive associated | 976025 | Gingivitis induced by hormonal changes | Drug induced gingivitis-oral contraceptive associated |
| | Gingivitis modified by malnutrition-ascorbic acid deficiency | 976373 | Gingivitis modified by malnutrition - Vitamin C deficiency | Gingivitis modified by Vitamin deficiency |
| | Leukemia associated gingivitis | 977011 | Gingivitis associated with Leukemia | Leukemia associated gingivitis |
| | Menstrual cycle associated gingivitis | 977785 | Gingivitis induced by hormonal changes | Menstrual cycle associated gingivitis |
| | Pregnancy associated gingivitis | 977697 | Gingivitis induced by hormonal changes | Pregnancy associated gingivitis |
| | Pregnancy associated pyogenic granuloma | 977578 | Granuloma gravidarum; Pregnancy tumor; Pregnancy epulis | Pyogenic granuloma of pregnancy |
| | Puberty associated gingivitis | 977393 | Gingivitis induced by hormonal changes | Puberty associated gingivitis |
| | Drug induced gingivitis-other (NOS) | 549143 | Mucotaneous Disorder: drug-induced | Drug induced gingivitis-other (NOS) |
| | Gingivitis associated with other blood dyscrasias (NOS) | 977257 | | Gingivitis associated with other blood dyscrasias (NOS) |

| | Description | Concept ID | Synonyms | Definition |
|--------------------|--|------------|--|---|
| | Gingivitis modified by malnutrition-NOS | 977991 | | Gingivitis modified by malnutrition-NOS |
| Subcategory | Gingival Diseases-Non Plaque induced | 976087 | | |
| | Gingivitis associated with infections | 655412 | Gingival lesions-Foreign body reaction | Gingival disease - non plaque induced |
| | Gingivitis associated with Candida | 673267 | Gingival Candidiasis | Gingival disease - non plaque induced |
| | Gingivitis associated with histoplasmosis | 976758 | Oral Histoplasmosis | Gingival disease - non plaque induced |
| | Gingival Disease modified by Gingivitis associated with Neisseria gonorrhoea | 977901 | Gingival Disease modified by Gingivitis associated with Neisseria gonorrhoea | Gingival disease - non plaque induced |
| | Gingivitis associated with primary herpetic gingivostomatitis | 783205 | Herpetic gingivostomatitis (disorder); Herpes stomatitis | Gingival disease - non plaque induced |
| | Gingivitis associated with recurrent oral herpes | 275033 | Recurrent oral Herpes | Gingival disease - non plaque induced |
| | Gingivitis associated with Streptococcal species | 977401 | Streptococcal Gingivitis | Gingival disease - non plaque induced |
| | Gingivitis associated with Treponema pallidum | 976222 | Gingivitis associated with Syphilis infection | Gingival disease - non plaque induced |
| | Gingivitis associated with varicella zoster | 977782 | Gingivitis associated with Chicken pox | Gingival disease - non plaque induced |
| | Gingivitis with linear erythema of fungal origin | 977848 | Linear gingival erythema of fungal origin | Gingival disease - non plaque induced |
| | Gingivitis associated with dental restorative materials | 946287 | | |
| | Dental restorative material-acrylic | 976611 | Gingival reaction to acrylic | Gingival disease - non plaque induced |
| | Dental restorative material-Mercury | 976982 | Gingival reaction to dental mercury | Gingival disease - non plaque induced |
| | Dental restorative material-Nickel | 977760 | Gingival reaction to nickel | Gingival disease - non plaque induced |
| | Dental restorative material-other (NOS) | 977542 | Gingival reaction to other dental restorative materials, NOS | Gingival disease - non plaque induced |
| | Gingival reaction | 958719 | | |
| | Reactions attributable to chewing gum additives | 976450 | Gingival reactions attributable to chewing gum additives | Gingival disease - non plaque induced |
| | Reactions attributable to foods and additives | 976648 | Gingival reactions attributable to foods and additives | Gingival disease - non plaque induced |
| | Reactions attributable to mouth rinses and mouthwashes | 977169 | Gingival reactions attributable to mouth rinses and mouthwashes | Gingival disease - non plaque induced |

| Description | Concept ID | Synonyms | Definition |
|---|------------|--|---------------------------------------|
| Reactions attributable to toothpastes and dentifrices | 976305 | Gingival reactions attributable to toothpastes and dentifrices | Gingival disease - non plaque induced |
| Gingival lesions-Foreign body reaction | 976350 | | |
| Gingivitis associated with immune or autoimmune conditions | 922578 | | |
| Gingivitis associated with erythema multiforme | 977995 | Mucotaneous Disorder: erythema multiforme | Gingival disease - non plaque induced |
| Gingivitis associated with lichen planus | 976466 | Mucotaneous Disorder: lichen planus | Gingival disease - non plaque induced |
| Gingivitis associated with lupus erythematosus | 976824 | Mucotaneous Disorder: lupus erythematosus | Gingival disease - non plaque induced |
| Gingivitis associated with pemphigoid | 977073 | Mucotaneous Disorder: mucous membrane pemphigoid | Gingival disease - non plaque induced |
| Gingivitis associated with pemphigus vulgaris | 977826 | Mucotaneous Disorder: pemphigus vulgaris | Gingival disease - non plaque induced |
| Gingivitis hereditary gingival fibromatosis | 835677 | | |
| Gingivitis associated with traumatic injury | 963159 | | |
| Traumatic Injury-Chemical injury | 976499 | | Gingival disease - non plaque induced |
| Traumatic Injury-Physical injury | 977209 | | Gingival disease - non plaque induced |
| Traumatic Injury-Thermal injury | 976917 | | Gingival disease - non plaque induced |
| Gingival lesions-NOS | 976816 | | Gingival disease - non plaque induced |
| Gingivitis associated with fungal origin-NOS | 976099 | | Gingival disease - non plaque induced |
| Gingivitis associated with mucocutaneous disorder other-NOS | 976078 | | Gingival disease - non plaque induced |
| Gingivitis associated with viral origin-NOS | 977155 | | Gingival disease - non plaque induced |
| Gingivitis of genetic origin-NOS | 976014 | | Gingival disease - non plaque induced |
| Reactions attributable to other (NOS) | 976801 | | Gingival disease - non plaque induced |
| Subcategory Chronic Periodontitis | 976382 | | |
| Localized Slight Chronic Periodontitis | 863520 | Localized minor adult periodontitis | Chronic periodontitis |
| Localized Moderate Chronic Periodontitis | 579834 | Localized moderate adult periodontitis | Chronic periodontitis |

| | Description | Concept ID | Synonyms | Definition |
|--------------------|--|-------------------|--|---|
| | Localized Severe Chronic Periodontitis | 674943 | Localized severe adult Periodontitis | Chronic periodontitis |
| | Generalized Slight Chronic Periodontitis | 375160 | Generalized minor adult Periodontitis | Chronic periodontitis |
| | Generalized Moderate Chronic Periodontitis | 785649 | Generalized moderate adult Periodontitis | Chronic periodontitis |
| | Generalized Severe Chronic Periodontitis | 501493 | Generalized severe adult Periodontitis; Periodontosis | Chronic periodontitis |
| | Refractory Periodontitis | 713657 | | Periodontitis occurring in patients who are unresponsive to any treatment provided whatever the thoroughness or frequency |
| | Peri-implantitis | 977294 | Peri-Implantitides | Destructive inflammatory process around osseointegrated implants; bone loss around implant >2mm |
| | Peri-implant mucositis | 976899 | | Defines the presence of inflammation in the soft tissue surrounding a dental implant without signs of any loss of supporting bone |
| Subcategory | Aggressive Periodontitis | 976809 | | |
| | Localized Slight Aggressive Periodontitis | 976264 | Juvenile periodontitis; Prepubertal Periodontitis; Post adolescent Periodontitis | Aggressive Periodontitis |
| | Localized Moderate Aggressive Periodontitis | 630554 | Localized early onset Periodontitis; Juvenile periodontitis; Prepubertal Periodontitis; Post adolescent Periodontitis | Aggressive Periodontitis |
| | Localized Severe Aggressive Periodontitis | 977376 | Rapidly Progressive Periodontitis; Juvenile periodontitis; Aggressive Periodontitis Prepubertal Periodontitis; Post adolescent Periodontitis | |
| | Generalized Slight Aggressive Periodontitis | 976964 | Juvenile periodontitis; Prepubertal Periodontitis; Post adolescent Periodontitis | Aggressive Periodontitis |
| | Generalized Moderate Aggressive Periodontitis | 642230 | Juvenile Periodontitis (Generalized early onset Periodontitis); Prepubertal Periodontitis; Post adolescent Periodontitis | Aggressive Periodontitis |
| | Generalized Severe Aggressive Periodontitis | 977088 | Rapidly Progressive Periodontitis; Juvenile periodontitis; Aggressive Periodontitis Prepubertal Periodontitis; Post adolescent Periodontitis | |
| | Rapidly Progressive Periodontitis | 961043 | Localized aggressive periodontitis | Aggressive Periodontitis |
| | Prepubertal Periodontitis | 181721 | Generalized Aggressive Periodontitis, Generalized early onset Periodontitis | Aggressive Periodontitis |
| | Juvenile periodontitis | 600061 | Generalized Aggressive Periodontitis, Generalized early onset Periodontitis | Aggressive Periodontitis |
| | Post adolescent Periodontitis | 316781 | Generalized Aggressive Periodontitis, Generalized early onset Periodontitis | Aggressive Periodontitis |
| Subcategory | Periodontitis as a Manifestation of Systemic Diseases | 977499 | | |
| | Periodontitis-Acquired neutropenia | 977866 | Periodontitis in Acquired neutropenia | Periodontitis associated with systemic diseases |
| | Periodontitis-Chediak Higashi syndrome | 976795 | Periodontitis in Chediak Higashi syndrome | Periodontitis associated with systemic diseases |

| Description | Concept ID | Synonyms | Definition |
|--|------------|--|--|
| Periodontitis-Cohen syndrome | 977977 | Periodontitis in Cohen syndrome | Periodontitis associated with systemic diseases |
| Periodontitis-Down Syndrome | 977271 | Periodontitis in Down Syndrome | Periodontitis associated with systemic diseases |
| Periodontitis-Ehlers Danlos syndrome (Types IV and VIII) | 976059 | Periodontitis in Ehlers Danlos syndrome (Types IV and VIII) | Periodontitis associated with systemic diseases |
| Periodontitis- Familial and cyclic neutropenia | 977036 | Periodontitis in Familial and cyclic neutropenia | Periodontitis associated with systemic diseases |
| Periodontitis-Glycogen storage disease | 977203 | Periodontitis in Glycogen storage disease | Periodontitis associated with systemic diseases |
| Periodontitis-Histocytosis syndrome | 976588 | Periodontitis in Histocytosis syndrome | Periodontitis associated with systemic diseases |
| Periodontitis-Hypophosphatasia | 976652 | Periodontitis in Hypophosphatasia | Periodontitis associated with systemic diseases |
| Periodontitis-Infantile genetic agranulocytosis | 977378 | Periodontitis in Infantile genetic agranulocytosis | Periodontitis associated with systemic diseases |
| Periodontitis-Leukemias | 976643 | Periodontitis in Leukemias | Periodontitis associated with systemic diseases |
| Periodontitis- Leukocyte adhesion deficiency syndrome | 976244 | Periodontitis in Leukocyte adhesion deficiency syndrome | Periodontitis associated with systemic diseases |
| Periodontitis-Papillon Lefevre syndrome | 976351 | Periodontitis in Papillon Lefevre syndrome | Periodontitis associated with systemic diseases |
| Periodontitis-Genetic Disorder (NOS) | 945715 | Periodontitis in Genetic Disorder (NOS) | Periodontitis associated with systemic diseases |
| Periodontitis-hematological disorder other (NOS) | 977754 | Periodontitis in hematological disorder other (NOS) | Periodontitis associated with systemic diseases |
| Subcategory Necrotizing Periodontal Diseases | 976583 | | |
| Necrotizing ulcerative gingivitis (NUG) | 836848 | Vincent's Angina; trench mouth; acute membranous gingivitis; fusospirillary gingivitis; fusospirillosis; fusospirochetal gingivitis; necrotizing gingivitis; phagedenic gingivitis; ulcerative gingivitis; Vincent stomatitis; Vincent gingivitis; and Vincent infection | An acute or chronic GINGIVITIS characterized by redness and swelling, NECROSIS extending from the interdental papillae along the gingival margins, PAIN; HEMORRHAGE, necrotic odor, and often a pseudomembrane |
| Necrotizing ulcerative periodontitis (NUP) | 409531 | Periodontitis, Necrotizing Ulcerative | Acute periodontal infection characterized by an expansion of necrotic lesions into the periodontal ligament and alveolar bone |
| Necrotizing ulcerative stomatitis (Noma) | 306407 | Cancrum oris; Fusospirochaetal gangrene; Noma; Stomatitis gangrenosa; Fusospirochaetal pharyngitis | A severe gangrenous process occurring predominantly in debilitated and malnourished children, especially in underdeveloped countries. It typically begins as a small vesicle or ulcer on the gingiva that rapidly becomes necrotic and spreads to produce extensive destruction of the buccal and labial mucosa and tissues of the face, which may result in severe disfigurement and even death |

| | Description | Concept ID | Synonyms | Definition |
|--------------------|---|------------|--|---|
| Subcategory | Abscesses of the Periodontium | 976738 | | |
| | Gingival abscess | 499580 | Parulis; Gumboil | Localized (usually superficial), painful, rapidly expanding lesion that appears suddenly in the marginal gingiva or interdental papilla and consists of a purulent focus in connective tissue |
| | Periodontal abscess | 485129 | Lateral periodontal abscess; Peridental abscess; Lateral alveolar abscess; Parodontal abscess; Parietal abscess of tooth; Paradontal abscess | |
| | Periodontal abscess without sinus tract | 836323 | Lateral periodontal abscess; Peridental abscess; Lateral alveolar abscess; Parodontal abscess; Parietal abscess of tooth; Paradontal abscess | Localized circumscribed purulent area of inflammation in the periodontal tissue |
| | Periodontal abscess with sinus tract | 836324 | Lateral periodontal abscess; Peridental abscess; Lateral alveolar abscess; Parodontal abscess; Parietal abscess of tooth; Paradontal abscess | Localized circumscribed purulent area of inflammation in the periodontal tissue |
| | Pericoronal abscess | 172777 | | Localized purulent infection within the tissues surrounding the crown of a partially erupted or difficultly erupting tooth. |
| | Combined periodontic-endodontic lesion | 400599 | Perio-endo Lesion | Occurs when an infection involves both pulp and periodontal ligament space simultaneously |
| Subcategory | Developed and Acquired Deformities and Conditions | 977028 | | |
| | Aberrant frenum/muscle position | 503651 | Abnormal frenum/muscle position | Abnormal frenum/muscle position |
| | Abnormal gingival color | 268246 | Gingival discoloration | Gingival discoloration |
| | Decreased vestibular depth | 305019 | Reduced vestibular depth | Decreased vestibular depth |
| | Gingival excess/display | 837261 | Hypertrophic/Hyperplastic gingiva | Gingival excess-gingival enlargement |
| | Gingival excess-gingival enlargement | 976194 | Enlarged gingiva ; Hypertrophic gingiva; hyperplastic gingiva | Limited or generalized slowly progressive fibrous enlargement of the gingiva along the maxillary and mandibular dental arcades, incited by inflammatory or noninflammatory causes |
| | Gingival excess-inconsistent gingival margin | 976376 | Inconsistent gingival margin | Inconsistent gingival margin |
| | Gingival excess-pseudopocket | 976158 | Pseudopocket | An abnormal extension of a gingival sulcus not accompanied by the apical migration of the epithelial attachment |
| | Gingival soft tissue enlargement | 678523 | Gingival soft tissue enlargement | Gingival soft tissue enlargement |
| | Gingival Soft Tissue recession | 652148 | | |
| | Gingival Soft Tissue recession- facial and lingual surfaces | 312424 | Gingival recession- facial and lingual surfaces | Gingival recession- facial and lingual surfaces |
| | Gingival Soft Tissue recession- interproximal-papillary | 977908 | Gingival recession-interproximal-papillary | Gingival recession-interproximal-papillary |
| | Lack of gingiva/keratinized tissue | 638056 | Lack of keratinized gingiva | Lack of gingiva/keratinized tissue |
| | Mucogingival deformity | 458691 | | |

| Description | Concept ID | Synonyms | Definition |
|---|------------|--|--|
| Mucogingival deformity- Aberrant frenum/muscle position | 488661 | Abnormal frenum/muscle position | Mucogingival deformity |
| Mucogingival deformity- Decreased vestibular depth | 321380 | Decreased vestibular depth | Mucogingival deformity |
| Mucogingival deformity- Lack of Keratinized gingival | 658709 | Lack of Keratinized gingiva | Mucogingival deformity |
| Mucogingival deformity-Abnormal color | 977849 | Gingival discoloration | Gingival discoloration |
| Periodontitis-Cervical root resorption and cemental tears | 977458 | Periodontitis secondary to cervical root resorption and cemental tears | Periodontitis secondary to cervical root resorption and cemental tears |
| Periodontitis-Dental Restorations and appliances | 976952 | Periodontitis secondary to dental restorations and appliances | Periodontitis secondary to dental restorations and appliances |
| Periodontitis-Root Fracture | 976085 | Periodontitis secondary to root fracture | Periodontitis secondary to root fracture |
| Periodontitis-Tooth anatomic factors | 977467 | Periodontitis due to tooth anatomic factors | Periodontitis due to tooth anatomic factors |
| Occlusal trauma | 359148 | | |
| Primary occlusal trauma | 329707 | Primary occlusal traumatism | Trauma resulting from abnormal occlusal forces on teeth with normal periodontium |
| Secondary occlusal trauma | 559141 | Secondary occlusal traumatism | Trauma resulting from normal/excessive occlusal forces on teeth with abnormal (compromised) periodontium |
| Vertical and/or horizontal ridge deficiency | 642581 | Deficiency in the height/width of the alveolar ridge | Deficiency in the height/width of the alveolar ridge |
| Subcategory Deposits on/Staining of Teeth | 173665 | | |
| Betel deposits | 207385 | Betel accretions on teeth | Extrinsic stains |
| Black deposits | 555314 | Black accretions on teeth | Extrinsic stains |
| Extrinsic discoloration | 666963 | Posteruptive colour changes of dental hard tissues | Extrinsic stains |
| Green deposits | 479334 | Green deposits [accretions] on teeth | Extrinsic stains |
| Intrinsic discoloration (Other disorders of tooth development) | 349705 | Intrinsic discoloration (Other disorders of tooth development) | Intrinsic discoloration |
| Materia Alba | 928646 | Yellow or gray-white soft mass composed mainly of bacteria with some cellular debris and little or no food particles | White material |
| Orange deposits | 573338 | Orange deposits [accretions] on teeth | Extrinsic stains |
| Tooth discoloration | 825338 | | |
| Staining [discoloration] of teeth due to drugs | 391268 | | Extrinsic stains due to drugs |
| Staining [discoloration] of teeth due to metals | 229534 | | Extrinsic stains due to metals |

| | Description | Concept ID | Synonyms | Definition |
|--------------------|--|------------|---|---|
| | Staining [discoloration] of teeth due to pulpal bleeding | 876051 | | Staining [discoloration] of teeth due to pulpal bleeding |
| | Tobacco staining | 887589 | Tobacco deposits [accretions] on teeth | Extrinsic stains from tobacco |
| Subcategory | Other | 665657 | | |
| | Atrophy of edentulous alveolar ridge | 883751 | Edentulous ridge atrophy | Atrophy of edentulous alveolar ridge |
| | Fibrous epulis | 742212 | Congenital epulis of newborn; Gingival fibroepithelial polyp/FEP - Gingival fibroepithelial polyp/Gingival fibroepithelial polyp (disorder) | |
| | Flabby ridge | 500249 | Flaccid ridge | Ridge which becomes displaceable due to fibrous tissue deposition |
| | Insufficient crown length | 159753 | | |
| | Insufficient anatomic crown height | 498276 | Insufficient remaining coronal tooth structure | When the part of a tooth that is covered with enamel, extending from the cemento-enamel junction to the cusp tips or incisal edge is not sufficient |
| | Insufficient clinical crown length | 498277 | Insufficient remaining coronal tooth structure, Insufficient ferrule | Insufficient portion of the tooth above the gingival margin |
| | Insufficient biological width | 976420 | | Insufficient biological width |
| | Irregular alveolar process | 842142 | | Irregular alveolar process (disorder) |
| | Pericoronal abscess | 172777 | Pericoronaritis | Localized purulent infection within the tissues surrounding the crown of a partially erupted or difficultly erupting tooth. |
| | Pyogenic granuloma of gingiva | 775501 | Gingival pyogenic granuloma; Granuloma Telangiecticum | Granulation tissue overgrowth in reaction to mild irritation |
| | Focal epithelial hyperplasia of mouth or tongue | 427929 | Hecks disease; Focal Epithelial Hyperplasia | benign, proliferative, wart-like disease of the oral mucosa associated with the HPV infection |
| | Gingival fibromatosis | 931878 | | Slowly progressive gingival enlargement caused by a collagenous overgrowth of the gingival fibrous connective tissue |
| | Disorder of teeth and supporting structures, unspecified | 614404 | Disorder of teeth and supporting structures NOS | Unspecified disorder of teeth and supporting structures, |
| | Enlargement of alveolar ridge NOS | 428064 | Alveolar ridge enlargement | |
| | Unspecified periodontal disease and condition | 852428 | Periodontal disease and condition NOS | Unspecified periodontal disease and condition |

| | Description | Concept ID | Synonyms | Definition |
|--------------------|---|------------|--|--|
| Category | ANATOMIC ABNORMALITIES | 754432 | | |
| Subcategory | Hard Tissue Abnormality | 908525 | | |
| | Alveolar ridge atrophy | 919286 | Atrophy of edentulous alveolar ridge/Edentulous alveolar ridge atrophy/Atrophy of edentulous alveolar ridge (disorder) | Alveolar ridge atrophy |
| | Exostosis of jaw(s) | 755250 | | |
| | Buccal exostosis | 802074 | Exostosis of jaw toward the buccal region (disorder) | Exostosis of jaw toward the buccal region (disorder) |
| | Mandibular torus | 733458 | Torus mandibularis | Bony growth on the mandible |
| | Osseous tuberosity | 407065 | Bony protuberance | Osseous tuberosity |
| | Palatal (lingual) exostosis | 722655 | Palatal tubercles | Exostosis of jaw toward the palatal region |
| | Palatal torus | 713043 | Torus palatinus | Bony protrusion on the palate |
| | Facial asymmetry | 323612 | Compression facies | Asymmetry of face |
| | Bilateral Hemifacial microsomia | 369851 | | |
| | Bilateral Hemifacial microsomia - Left predominant | 977498 | Bilateral facial dysplasia- Left predominant | Hard tissue anatomic abnormalities |
| | Bilateral Hemifacial microsomia - Right predominant | 977932 | Bilateral facial dysplasia- Right predominant | Hard tissue anatomic abnormalities |
| | Hemifacial atrophy | 366435 | Facial hemiatrophy; Romberg's syndrome; Facial trophoneurosis; Romberg's trophoneurosis; Parry-Romberg Disease | A syndrome characterized by slowly progressive unilateral atrophy of facial subcutaneous fat, muscle tissue, skin, cartilage, and bone |
| | Hemifacial hypertrophy | 472562 | Hemifacial myohyperplasia | Hypertrophy and asymmetry of the facial muscles |
| | Hemifacial microsomia | 210674 | First AND second branchial arch syndrome; Lateral facial dysplasia; Goldenhar syndrome | Congenital malformation in which there is a deficiency in the amount of hard and soft tissue on one side of the face. It is primarily a syndrome of the first branchial arch, involving underdevelopment of the temporomandibular joint, mandibular ramus, masticatory muscles and the ear |
| | Hemimaxillofacial dysplasia | 747039 | Segmental odontomaxillary dysplasia (SOD) plus facial hypertrichosis | Craniofacial hemi-asymmetry |
| | Macrogathism | 319782 | Macrogathia | Large jaw |
| | Micrognathism | 634564 | Micrognathia | Abnormally small maxilla/mandible in which the body, ramus and dental arch are smaller than normal |
| | Micrognathism Maxilla | 977416 | Maxillary hypoplasia | Abnormally small maxilla |
| | Micrognathism Mandible | 977237 | Mandibular hypoplasia | Abnormally small mandible |
| | Micrognathism Maxilla and Mandible | 977177 | Maxillary and Mandibular hypoplasia | Abnormally small maxilla/mandible in which the body, ramus and dental arch are smaller than normal |
| | Prognathism | 834339 | | Mandibular protrusion |
| | Prognathism Mandible | 976012 | Progenism | Abnormal protrusion of the mandible |
| | Prognathism Maxilla | 976634 | | Abnormal protrusion of the maxilla |

| | Description | Concept ID | Synonyms | Definition |
|--------------------|------------------------------------|-------------------|--|---|
| | Prognathism Maxilla and Mandible | 977075 | | Abnormal protrusion of the maxilla and mandible |
| | Retrognathism | 673086 | | Defines a group of conditions in which the mandible is small, retruded, or both |
| | Retrognathism Mandible | 977048 | Mandibular retrognathism; | Posteriorly placed mandible |
| | Retrognathism Maxilla | 976077 | Maxillary recession | Maxillary recession |
| | Retrognathism Maxilla and Mandible | 976324 | | Underdevelopment of the Maxilla and Mandible |
| Subcategory | Soft Tissue Abnormality | 370818 | | |
| | Ankyloglossia | 694536 | Tongue tie | Rare developmental disturbance in which the lingual frenum is short or is attached close to the tip of the tongue |
| | Cleft lip | 899351 | Cheiloschisis; Harelip | Congenital deformity characterized by a vertical cleft or pair of clefts in the upper lip |
| | Cleft palate | 144299 | Palatoschisis | Defect in hard palate allowing communication between oral cavity and nasal cavity, as a result of a developmental disturbance |
| | Cleft tongue | 292591 | Whiteman's syndrome; Bifid tongue | Rare congenital anomaly in which tongue is divided in the midline for a greater or lesser distance |
| | Cleft uvula | 503682 | Bifid uvula | Split uvula which results from the incomplete fusion of the medial nasal and maxillary processes |
| | Crenated tongue | 707189 | Scalloped tongue; Crenated tongue (disorder) | Scalloping along the lingual periphery of the tongue caused by the tongue lying against the lingual surface of the mandibular teeth |
| | Fibrous tuberosity | 641541 | Fibrous protuberance | Oral soft tissue abnormality |
| | Fissured tongue | 915648 | Furrowed tongue; Scrotal tongue; Plicated tongue; Lingua plicata | Benign condition characterized by fissures in dorsum of tongue |
| | Hemimaxillofacial dysplasia | 286999 | Segmental odontomaxillary dysplasia (SOD) plus facial hypertrichosis | Craniofacial hemi-asymmetry |
| | Hyperplastic tissue | 533644 | Excess tissue | Excessively movable tissue about the mandible or maxilla resulting from increases in the number of normal tissue cells |
| | Macroglossia | 581951 | Congenital macroglossia | Abnormal enlargement of the tongue |

| | Description | Concept ID | Synonyms | Definition |
|--------------------|---|------------|---|---|
| Category | ORAL PATHOLOGY/RADIOLOGY | 312816 | | |
| Subcategory | Allergic reaction | 311502 | | |
| | Allergy, unspecified | 760755 | Hypersensitivity | Allergy, unspecified (disorder) |
| | Anaphylactic shock, unspecified | 521161 | Anaphylaxis, unspecified | Anaphylactic shock, unspecified |
| Subcategory | Benign Nonodontogenic Path | 180946 | | |
| | Arteriovenous malformation | 265064 | Congenital arteriovenous aneurysm; Congenital arteriovenous fistula, NOS | Abnormal connection between veins and arteries, usually congenital |
| | Benign neoplasm Floor of mouth | 267093 | Benign neoplasm Floor of mouth | Benign neoplasm Floor of mouth |
| | Benign neoplasm Lip | 961342 | Benign neoplasm Lip | Benign neoplasm Lip |
| | Benign neoplasm of mandible | 210152 | Benign neoplasm of lower jaw bone; Benign neoplasm of mandible (disorder) | Benign neoplasm of lower jaw bone; Benign neoplasm of mandible (disorder) |
| | Benign neoplasm of maxilla | 746525 | | Benign neoplasm of maxilla (disorder) |
| | Benign neoplasm of salivary gland | 785214 | | |
| | Benign neoplasm Parotid gland | 870599 | | Benign neoplasm of parotid gland- most commonly a pleomorphic Adenoma, monomorphic adenoma (canalicular adenoma or basal cell adenoma), oncocytoma, or papillary cystadenoma lymphomatosum (Warthin tumor) |
| | Benign neoplasm sublingual glands | 253851 | | Benign neoplasm sublingual glands |
| | Benign neoplasm submandibular glands | 796040 | | Benign neoplasm submandibular glands |
| | Benign neoplasm Major salivary gland, unspecified | 826957 | Benign tumor major salivary gland | Benign neoplasm of major salivary glands; Benign neoplasm of major salivary gland (disorder); Benign tumour major salivary gland; Benign tumor major salivary gland; Benign neoplasm of major salivary gland, NOS |
| | Benign neoplasm Minor salivary gland NOS | 679166 | Benign neoplasm Minor salivary gland NOS | Benign neoplasm Minor salivary gland NOS |
| | Benign neoplasm Tongue | 839680 | | Benign neoplasm Tongue |
| | Brown tumor of mandible | 839681 | Brown tumour of hyperparathyroidism | Brown tumor is a rare clinical entity complicating hyperparathyroidism. It may occur in the head and neck, with the mandible being the most frequent site. |
| | Exostosis of jaw(s) | 755250 | Torus mandibularis; Torus palatinus | Formation of new bone on the surface of a jawbone |
| | Buccal exostosis | 802074 | Buccal exostosis | Exostosis of jaw toward the buccal region (disorder) |
| | Mandibular torus | 733458 | Torus mandibularis | Bulbous protuberance of bone beneath a thin mucous membrane covering on the medial side of the mandible often found in the premolar region |
| | Palatal (lingual) exostosis | 722655 | Palatal (lingual) exostosis | Exostosis of jaw toward the palatal/lingual region |
| | Palatal torus | 713043 | Torus palatinus | Sessile mass of bone in the midline of the palate |

| Description | Concept ID | Synonyms | Definition |
|---|------------|---|---|
| Giant cell granuloma, central | 142156 | CGCG - Central giant cell granuloma; reparative giant cell granuloma | Benign intraosseous lesion found in the anterior of the maxilla and the mandible in younger people. It is characterized by large lesions that expand the cortical plate and can reabsorb roots and move teeth. It is composed of multinucleated giant cells |
| Chondroma | 128143 | Enchondroma; Echondroma | Tumor consisting essentially of cartilage |
| Condylar hyperplasia | 756782 | Bilateral condylar hyperplasia of mandible | Malformation of the mandible created by excessive growth of one/both of the condyles |
| Coronoid hyperplasia | 371838 | Bilateral coronoid hyperplasia of mandible | Hyperplasia of the coronoid process of the mandible is a rare developmental anomaly that may result in progressive limitation of mouth opening |
| Enostosis | 866253 | Bone island | Locus of cortical bone within cancellous (trabecular) bone |
| Fibrous dysplasia of jaw(s) | 211150 | Cherubism;Fibrous dysplasia of jaw (disorder);Familial fibrous dysplasia of jaw | Bone disease that destroys and replaces normal bone with fibrous bone tissue |
| Florid cemento-osseous dysplasia | 958771 | Familial multiple cementoma; Florid osseous dysplasia | Diffuse, multifocal cementosseous dysplasia |
| Gardner's syndrome | 401666 | Gardner Syndrome | Autosomal dominant disorder characterized by intestinal polyposis, mainly of the colon, multiple osteomas, other bony abnormalities, soft tissue tumors and skin cysts |
| Giant cell lesion | 720443 | Giant cell lesions of the jaw | Giant cell lesions of the jaw |
| Hemangioma of bone | 738056 | Osseous Hemangioma | Mass composed of blood-filled endothelium-lined spaces and lesions with a radiating pattern of bony trabeculae oriented toward the center |
| Langerhan's cell disease | 745951 | | |
| Langerhan's cell disease - localized | 671264 | Langerhan's cell histiocytosis | Neoplastic proliferation of Langerhans cells |
| Langerhan's cell disease - (disseminated acute) | 671265 | Letterer-Siwe Disease | Group of idiopathic disorders characterized by the presence of cells with characteristics similar to bone marrow-derived Langerhans cells juxtaposed against a backdrop of hematopoietic cells, including T-cells, macrophages, and eosinophils |
| Langerhan's cell disease - (disseminated - chronic) | 671266 | Letterer-Siwe Disease | Group of idiopathic disorders characterized by the presence of cells with characteristics similar to bone marrow-derived Langerhans cells juxtaposed against a backdrop of hematopoietic cells, including T-cells, macrophages, and eosinophils |
| Neurilemmoma (Schwannoma) | 577310 | Neurilemmoma (disorder); Schwannoma | Benign growths arise within a nerve and are surrounded by a true capsule composed of the epineurium |
| Neuroectodermal tumor of infancy | 976961 | Melanotic neuroectodermal tumor of infancy; Progonoma | Rare benign tumor of neural crest origin with a propensity to appear in tooth-bearing areas |
| Neurofibroma | 597010 | Neurofibroma | Rare benign neoplasms of nerve tissue that may appear as solitary lesions in otherwise healthy individuals or as multiple lesions in neurofibromatosis |

| Description | Concept ID | Synonyms | Definition |
|---|------------|--|--|
| Neurofibromatosis | 359519 | Von Recklinghausen's disease; Neurofibromatosis, unspecified; Neurofibromatosis, type 1 [von Recklinghausen's disease]; Neurofibromatosis, type 2 [acoustic neurofibromatosis] | Umbrella term for three distinct genetic disorders that share a hallmark manifestation— tumor growth in the tissues that surround nerves |
| Ossifying fibroma, central | 185366 | Cemento-Ossifying Fibroma; Cementifying Fibroma | Benign, non-metastasizing, fibrous tumor with local aggressive behavior |
| Osteoblastoma | 850457 | Ossifying Giant Cell Tumor; Giant Osteoid Osteoma | Benign tumor composed of osteoblasts producing osteoid and bone |
| Osteoid osteoma | 941574 | Small Osteoblastoma | Benign circumscribed tumor of spongy bone occurring in the bones, most often in young persons, small variant of osteoblastoma |
| Osteoma | 103795 | | Small, often solitary bone tumour found mainly on bones of the skull consisting of circumscribed foci of dense bone contiguous with host bone |
| Benign neoplasm unspecified parts of mouth | 217969 | | Benign neoplasm unspecified parts of mouth |
| Disease of jaws, unspecified | 839016 | | Diseases of jaws, unspecified |
| Giant cell granuloma NOS | 271693 | Giant cell granuloma, not otherwise specified | Localised tumour of fibrous tissue containing numerous osteoclasts |
| Unspecified benign nonodontogenic tumor | 858678 | | Unspecified benign nonodontogenic tumor |
| Subcategory Benign Odontogenic Path. | 678145 | | |
| Adenomatoid odontogenic tumor | 346973 | Adenoameloblastoma | Odontogenic tumor marked by simultaneous proliferation of both epithelial and mesenchymal tissue, without formation of enamel or dentin |
| Ameloblastic fibroma | 432318 | Mixed Odontogenic Tumors | Proliferation of immature odontogenic mesenchymal and epithelial cells |
| Ameloblastic fibro-odontoma | 235379 | Ameloblastic Fibroodontoma;Fibroameloblastic Odontoma; Mixed Odontogenic Tumors | Slow-growing, expansile epithelial odontogenic tumor with odontogenic mesenchyme |
| Ameloblastoma | 566666 | Adamantinoma | Rare, benign, slowly progressing tumor of odontogenic epithelium |
| Calcifying epithelial odontogenic tumor | 541998 | Pindborg Tumor | Benign odontogenic tumor |
| Cementoblastoma | 309302 | Cementoma; Benign Cementoblastoma | Odontogenic tumor of cementum that occurs usually after root development is finished |
| Central odontogenic fibroma | 702301 | Odontogenic fibroma;Odontogenic fibroma, NOS | Fibroblastic neoplasia containing varying amounts of apparently active odontogenic epithelium |
| Odontoma (odontome) | 789513 | | |
| Complex odontoma | 455388 | Complex Odontoma, compound odontoma | Consists of a mass of irregularly arranged dental tissue in which enamel, dentine, cementum and pulpal tissue are represented |
| Compound odontoma | 563054 | Compound odontome | Composed of many, sometimes even dozens of, small miniature teeth that are surrounded by a dental follicle, the same tissue that surrounds a normal developing tooth |
| Focal cemento-osseous dysplasia | 892407 | | Reactive lesion, similar to periapical and florid cemento-osseous dysplasia, except that it presents as a single lesion |

| Description | Concept ID | Synonyms | Definition |
|--|------------|---|---|
| Odontogenic myxoma | 469463 | Myxoma | Locally invasive neoplasm which consists of round and stellate-shaped cells within a mucoid stroma |
| Periapical cemento-osseous dysplasia (periapical cemental dysplasia) | 308527 | Periapical cemental dysplasia; Cementoma; Periradicular cemental dysplasia; Periradicular osteofibrosis | A benign, reactive (non-neoplastic), fibro-osseous lesion of unknown etiology in which bone around the apices of teeth with vital pulps is initially replaced with fibrous connective tissue and subsequently by a mixture of tissue, cementum and bone |
| Unspecified benign odontogenic tumor | 280693 | | Unspecified benign odontogenic tumor |
| Subcategory Buccal Mucosal Swelling | 126829 | | |
| Epulis fissuratum (Inflammatory fibrous hyperplasia) | 759256 | Inflammatory fibrous hyperplasia of mouth;Denture hyperplasia;Denture irritation hyperplasia;Irritation fibroma;Denture-induced hyperplasia;Denture granuloma | Inflammatory fibrous hyperplasia of mouth;Denture hyperplasia;Denture irritation hyperplasia;Irritation fibroma;Denture-induced hyperplasia;Denture granuloma; Congenital epulis of newborn |
| Mucous retention phenomenon (buccal mucosa) | 346335 | | Collection of salivary mucin entrapped within the connective tissue |
| Salivary gland pathology (buccal mucosa) | 562125 | | Disorder of the Salivary gland |
| Traumatic/Irritation fibroma (buccal mucosa) | 610473 | Traumatic; Irritation fibroma (buccal mucosa) | Painless reactive proliferations of fibrous tissue that develop in response to trauma from teeth or dentures |
| Unspecified buccal mucosa swelling | 347888 | | Unspecified buccal mucosa swelling |
| Subcategory Cyst of the Oral Region | 938537 | | |
| Odontogenic cyst | 488516 | | |
| Buccal bifurcation cyst | 493581 | | Cystic lesion, which occurs on the buccal surface of the permanent first molar |
| Calcifying odontogenic cyst | 112784 | Calcifying odontogenic (Ghost cell) cyst (morphologic abnormality) | Nonaggressive cystic lesion lined by odontogenic epithelium |
| Dentigerous cyst | 281924 | Follicular cyst | Odontogenic cyst - thought to be of developmental origin - associated with the crown of an unerupted (or partially erupted) tooth |
| Keratocyst (Keratocystic odontogenic tumor) | 127862 | KCOT, OKC, Odontogenic keratocyst | Developmental lesion arising from the dental lamina or its remnants |
| Lateral Developmental Cyst | 954094 | Lateral periodontal cyst | A slow growing, nonexpansile developmental odontogenic cyst derived from one or more rests of the dental lamina, containing an embryonic lining of one to three cuboidal cells and distinctive focal thickenings (plaques) |
| Lateral periodontal cyst | 202514 | Periodontal cyst | Developmental odontogenic cyst located lateral to the root of a vital tooth |
| Odontogenic keratocyst | 676791 | Dental lamina keratocyst | Developmental, noninflammatory chronic cyst |
| Periapical (radicular) cyst | 309101 | Radicular cyst; Apical radicular cyst | Inflammatory cysts and arise from the epithelial residues in the periodontal ligament as a result of death/necrosis of the pulp |
| Primordial Cyst | 290432 | Primordial cyst of jaw;Primordial odontogenic cyst | Developmental lesion arising from the dental lamina or its remnants |

| Description | Concept ID | Synonyms | Definition |
|--|------------|---|---|
| Residual cyst | 147285 | | Cyst left behind within the bone of the jaws after the associated tooth has been removed |
| Fissural Cyst | 977900 | Inclusion cyst | A cyst derived from epithelial remnants entrapped along the fusion line of embryonal processes. |
| Globulomaxillary cyst | 439234 | | A cyst found within the bone between the maxillary lateral incisor and canine, previously thought to be a fissural cyst arising from non-odontogenic epithelium included at the site of fusion of the globular process of the frontonasal process and the maxillary process |
| Median palatal cyst | 143060 | Cyst of palatine papilla;Cyst of the incisive papilla;Palatine cyst of papilla | Rare cyst that may occur anywhere along the median palatal raphe |
| Nasoalveolar cyst (Nasolabial cyst) | 431581 | Naso-alveolar cyst;Nasolabial cyst | Developmental cysts arising outside the bone in the nasolabial fold below the alae nasi |
| Nasopalatine canal (duct) cyst | 495061 | Nasopalatine cyst; Incisive canal cyst | Developmental cyst arising from epithelial remnants within the nasopalatine canal |
| Cyst/cyst-like lesions of the bone | 459843 | | |
| Aneurysmal bone cyst | 154876 | | Solitary lesions of bone that typically cause a bulging of the overlying cortex |
| Stafne bone defect (Stafne idiopathic bone cavity of mandible) | 747177 | Static bone cyst; Stafne idiopathic bone cavity of mandible; Latent bone cyst of jaw | An uncommon developmental defect that is present in the lingual surface of the mandible |
| Traumatic (simple) bone cyst | 831794 | Traumatic bone cyst; Simple bone cyst; Solitary bone cyst; Hemorrhagic Cyst of jaw | Unilocular cavity that can be partly filled with clear or sanguineous fluid |
| Focal osteoporotic bone marrow defect | 461587 | | Osteoporotic bone marrow defect is a condition which may be found in the body of the mandible. It is usually painless and found during routine radiographs. It appears as a poorly defined radiolucency (dark area) where there was a previous history of an extraction of a tooth. It may resemble a metastatic disease. |
| Basal cell nevus syndrome | 579878 | Gorlin-goltz syndrome;gorlin syndrome;nevroid basal cell carcinoma syndrome;fifth phacomatosis;multiple basal cell nevi, odontogenic keratocysts, and skeletal anomalies;hydrocephalus, costovertebral dysplasia, and sprenge anomaly | Hereditary disorder consisting of multiple basal cell carcinomas, odontogenic keratocysts, and multiple skeletal defects |
| Cyst of the Tongue | 976750 | Tongue cysts | Cyst of the Tongue |
| Dermoid cyst | 143390 | Benign Cystic Teratoma;Mature Cystic Teratoma;Dermoid | A tumor consisting of displaced ectodermal structures along the lines of embryonic fusion, the wall being formed of epithelium-lined connective tissue, including skin appendages, and containing keratin, sebum, and hair |
| Epidermoid cyst of mouth | 331537 | Epidermoid cyst of mouth (disorder) | Non odontogenic cystic lesion usually in the midline of the floor of the mouth |
| Epstein's pearl | 682099 | Epstein's pearl of palate (disorder);Epstein's pearl of palate | Small white or yellow cystic vesicles (1 to 3 mm in size) often seen in the median palatal raphe of the mouth of newborn infants |

| | Description | Concept ID | Synonyms | Definition |
|--------------------|--|------------|--|---|
| | Oral Lymphoepithelial cyst | 233776 | Lymphoepithelial cyst of mouth | Developmental lesion that is probably due to cystic degeneration of glandular epithelium entrapped within oral lymphoid tissue during embryogenesis |
| | Unspecified cyst of the oral region | 316044 | | Unspecified cyst of the oral region |
| | Cyst of jaw: NOS | 781523 | | Cyst of jaw NOS (disorder) |
| Subcategory | Face Swelling | 805411 | | |
| | Air emphysema | 962667 | | Air in the interstices |
| | Angioedema (face) | 154579 | Quincke Edema | Swelling of the deeper layers of skin and/or submucosal tissue |
| | Fascial space infection | 156784 | | |
| | Buccal space infection | 197578 | | Buccal space infection |
| | Infraorbital space infection | 550943 | | Infection of the infraorbital space. Usually related to the maxillary anterior teeth and weel localized to the infraorbital fossa by the levator labii superioris and levator anguli oris muscles |
| | Ludwig's angina | 153019 | Submandibular space infection; Sublingual space infection | Severe cellulitis of the submaxillary space with secondary involvement of the sublingual and submental space |
| | Masseteric/submasseteric space infection | 744186 | | Localized infection between the masseter and the mandibular ramus |
| | Cellulitis (face) | 397755 | Phlegmon | Non-suppurative inflammation of the subcutaneous tissues and extending along the connective tissue planes across the intercellular spaces |
| | Lymphangioma | 934369 | Lymphangioma circumscriptum; Cavernous lymphangioma; cystic hygroma; cystic lymphangioma | Hamartomatous growth of lymph channels |
| | Masseter hypertrophy | 501430 | Hypertrophy of the Masseter | Hypertrophy of the Masseter |
| | Swelling of suspected cancerous origin | 727803 | | |
| | Neurofibromatosis | 359519 | Neurofibromatosis, type 1 [von Recklinghausen's disease]; Neurofibromatosis, type 2 [acoustic neurofibromatosis] | Degenerative disease of neural crest origin characterized by predominant of Schwann cells |
| | Sialadenosis | 523374 | Sialosis | Non inflammatory salivary gland swelling |
| | Sjogren's syndrome (Sicca syndrome) | 312932 | Sicca (primary Sjogren) syndrome; Sjogren disease | An autoimmune disorder in which immune cells attack and destroy the exocrine glands that produce tears and saliva |
| | Unspecified face swelling | 471883 | | Unspecified face swelling |
| Subcategory | Floor of Mouth Swelling | 742287 | | |
| | Dermoid cyst | 143390 | Benign Cystic Teratoma;Mature Cystic Teratoma;Dermoid | Lesions present as soft, round, doughlike subcutaneous tumors that derive from embryonic epithelial remannnts and are freely movable beneath the overlying epidermis |
| | Ludwig's angina (submand/subling swelling) | 360078 | Ludwig's angina (disorder) | Severe cellulitis of the submaxillary space with secondary involvement of the sublingual and submental space |
| | Lymphoepithelial cyst | 207544 | Lymphoepithelial cyst of mouth; Branchial cyst | Benign cysts lined by squamous epithelium with subepithelial non-neoplastic lymphoid tissue |

| | Description | Concept ID | Synonyms | Definition |
|--------------------|---|------------|---|---|
| | Ranula | 687179 | Ranula of salivary gland of floor of mouth;Ranula of floor of mouth;Sublingual cyst | An accumulation of mucus either in the connective tissues or within a salivary gland duct |
| | Submandibular abscess | 743511 | | Pus collection in the Submandibular region |
| | Salivary gland pathology (FOM) | 427251 | | Salivary gland pathology (FOM) |
| | Unspecified floor of mouth swelling | 745131 | | Unspecified floor of mouth swelling |
| Subcategory | Genetic Jaw Disease | 487596 | | |
| | Absence (of) salivary gland or duct | 208476 | Salivary gland duct absence | Absence (of) salivary gland or duct |
| | Accessory salivary gland or duct | 790661 | Accessory salivary gland or duct (disorder) | Accessory (of) salivary gland or duct |
| | Acrocephalosyndactyly Syndrome (Apert Syndrome) | 329263 | Apert Syndrome; Byzantine arch palate | Characterized by craniosynostosis especially affecting the coronal sutures, brachysphenocephalic acrocephaly, midface malformations and symmetrical syndactyly of the limbs |
| | Aglossia of tongue | 707603 | Aglossia of tongue | Absence of the tongue |
| | Atresia (of) salivary gland or duct | 745508 | | Atresia (of) salivary gland or duct |
| | Cherubism | 444004 | | Developmental disorder associated with painless bilateral swellings of the posterior mandible |
| | Cleft lip | 899351 | Cheiloschisis | Congenital deformity characterized by a vertical cleft or pair of clefts in the upper lip |
| | Cleft lip, bilateral | 193803 | Cleft lip, bilateral | Congenital deformity characterized by a vertical pair of clefts in the upper lip |
| | Cleft lip, bilateral - with cleft alveolus | 976180 | Cleft lip, bilateral - with cleft alveolus | Cleft lip, bilateral - with cleft alveolus |
| | Cleft lip, bilateral - without cleft alveolus | 976880 | Cleft lip, bilateral - without cleft alveolus | Cleft lip, bilateral - without cleft alveolus |
| | Cleft lip, median | 324077 | Cleft lip, median | Cleft lip, median |
| | Cleft lip, median - with cleft alveolus | 977618 | Cleft lip, median - with cleft alveolus | Cleft lip, median - with cleft alveolus |
| | Cleft lip, median - without cleft alveolus | 976609 | Cleft lip, median - without cleft alveolus | Cleft lip, median - without cleft alveolus |
| | Cleft lip, unilateral | 295270 | Cleft lip, unilateral | Cleft lip, unilateral |
| | Cleft lip, unilateral - with cleft alveolus | 976076 | Cleft lip, unilateral - with cleft alveolus | Cleft lip, unilateral - with cleft alveolus |
| | Cleft lip, unilateral - without cleft alveolus | 976495 | Cleft lip, unilateral - without cleft alveolus | Cleft lip, unilateral - without cleft alveolus |
| | Cleft palate | 144299 | Palatoschisis;Uranoschisis | Defect in hard palate allowing communication between oral cavity and nasal cavity, as a result of a developmental disturbance |
| | Cleft hard palate | 333787 | Cleft hard palate NOS | Defect in hard palate allowing communication between oral cavity and nasal cavity, as a result of a developmental disturbance |
| | Cleft hard palate with bilateral cleft lip | 660853 | Cleft hard palate with bilateral cleft lip | Cleft hard palate with bilateral cleft lip |

| Description | Concept ID | Synonyms | Definition |
|---|-------------------|---|---|
| Cleft hard palate with unilateral cleft lip | 806865 | Cleft hard palate with unilateral cleft lip | Cleft hard palate with unilateral cleft lip |
| Cleft soft palate | 669959 | Isolated cleft of the soft palate, central;Cleft of soft palate only | Defect in the soft palate |
| Cleft soft palate with bilateral cleft lip | 232076 | Cleft soft palate with bilateral cleft lip | Cleft soft palate with bilateral cleft lip |
| Cleft soft palate with unilateral cleft lip | 858372 | Cleft soft palate with unilateral cleft lip | Cleft soft palate with unilateral cleft lip |
| Cleft hard palate with cleft soft palate | 753311 | Complete bilateral cleft palate;Complete bilateral cleft palate (disorder);Cleft hard palate with cleft soft palate, bilateral | Defect in hard and soft palate allowing communication between oral cavity and nasal cavity, as a result of a developmental disturbance |
| Cleft hard and soft palate with unilateral cleft lip | 360267 | Cleft hard and soft palate with unilateral cleft lip | Cleft hard and soft palate with unilateral cleft lip |
| Cleft hard and soft palate with bilateral cleft lip | 107072 | Cleft hard and soft palate with bilateral cleft lip | Cleft hard and soft palate with bilateral cleft lip |
| Cleft lip and palate | 905467 | Cleft lip and Palate | Congenital deformity characterized by a vertical cleft or pair of clefts in the upper lip and a defect in hard palate allowing communication between oral cavity and nasal cavity, as a result of a developmental disturbance |
| Cleft uvula | 503682 | Cleft uvula (disorder);Bifid uvula | Split uvula which results from the incomplete fusion of the medial nasal and maxillary processes |
| Cleidocranial dysplasia | 144328 | Cleidocranial Dysostosis | Generalized skeletal dysplasia resulting in defects in the development of skull, clavicles, pelvis, and teeth |
| Congenital adhesion of tongue | 806087 | | Congenital adhesion of tongue |
| Congenital fistula of lip | 375281 | Congenital (mucus) lip pits | Rare, painless and unsightly deformities in which fistulous tracts are situated on the vermillion border of the lip |
| Congenital fistula of salivary gland | 627686 | | Congenital fistula of salivary gland |
| Congenital malformation syndromes predominantly affecting facial appearance | 248633 | | Congenital malformation syndromes predominantly affecting facial appearance |
| Syndromes | 248879 | | |
| Crouzon's syndrome | 542540 | Vogt cephalosyndactyly;Apert-Crouzon syndrome;Acrocephalosyndactyly, type II;Crouzon's disease;Craniofacial dysostosis;Crouzon syndrome (disorder);Trigirhinophalangeal dysplasia | An autosomal dominant disorder characterized by acrocephaly, exophthalmos, hypertelorism, strabismus, parrot-beaked nose, and hypoplastic maxilla with relative mandibular prognathism |

| Description | Concept ID | Synonyms | Definition |
|---|------------|--|---|
| Down syndrome | 574424 | Downs Syndrome;Trisomy 21 Syndrome | A chromosome disorder associated either with an extra chromosome 21 or an effective trisomy for chromosome 21. Clinical manifestations include hypotonia, short stature, brachycephaly, upslanting palpebral fissures, epicanthus, Brushfield spots on the iris, protruding tongue, small ears, short, broad hands, fifth finger clinodactyly, Simian crease, and moderate to severe MENTAL RETARDATION |
| Ehlers-Danlos syndrome | 349319 | India rubber skin, Fibrodysplasia elastica generalisata, Danlos disease, Dystrophia mesodermalis congenita;Cutis elastica;Cutis hyperelastica;Cutis hyperelastica dermatorrhexis;Hereditary collagen dysplasia | Heterogeneous hereditary disorder of connective tissue affecting skin, ligaments, joints, blood vessels, and internal organs. It is characterized by skin extensibility, joint hypermobility and tissue fragility |
| Fragile X syndrome | 686505 | Martin-Bell syndrome;Marker X syndrome | Genetic condition involving changes in part of the X chromosome. It is the most common form of inherited mental retardation in males and a significant cause of mental retardation in females |
| Marfan's syndrome | 471110 | Marfan Syndrome | An autosomal dominant disorder of CONNECTIVE TISSUE with abnormal features in the heart, the eye, and the skeleton |
| Oro-facial-digital Syndrome | 596028 | Type I (Papillon-Leage and Psaume syndrome, Gorlin-Psaume syndrome); Type II (Mohr syndrome) | Rare X-linked dominant inherited disorder. Tongue is multilobed or bifid, clefts and supernumerary teeth are common, and mandibular lateral incisors are often missing |
| Pierre Robin syndrome | 374799 | Pierre robin sequence | Glossoptosis, micrognathia, and cleft palate |
| Stickler syndrome | 471317 | Hereditary arthro-ophthalmopathy; Hereditary progressive arthro-ophthalmopathy; Stickler dysplasia; Wagner-Stickler syndrome | A group of hereditary conditions characterized by a distinctive facial appearance, eye abnormalities, hearing loss, and joint problems. Robin sequence, is also common in people with Stickler syndrome |
| Treacher Collin's syndrome | 782835 | Mandibulofacial Dysostosis | Autosomal dominant disorder comprising symmetrical mandibular and zygomatic hypoplasia, lower eyelid coloboma, rudimentary ears, deafness and cleft palate |
| Hemifacial atrophy | 383025 | Romberg's syndrome;Facial hemiatrophy | Slowly progressive atrophy of the soft tissues of essentially half the face accompanied most frequently by contralateral Jacksonian epilepsy, trigeminal neuralgia and changes in the eyes and hair |
| Hemifacial hypertrophy | 475415 | HFH; True HFH ; Partial HFH | Rare congenital disease characterized by unilateral enlargement of the head and teeth |
| Hypoglossia | 951538 | Microglossia;Hypoplasia of tongue;Microglossia - congenital | Short, incompletely developed tongue |
| Hypoplasia of tongue | 652750 | Hypoplastic tongue | Small tongue |
| Macrocheilia (incl congenital Hypertrophy of lip) | 699635 | Macrocheilia (incl congenital Hypertrophy of lip) | Hypertrophy of lip, congenital |
| Macrostomia | 751770 | Big mouth | Unusually widened mouth |
| Microglossia | 415116 | Hypoplasia of tongue | Short, incompletely developed tongue |
| Microstomia | 733405 | Small mouth | A congenital defect in which the mouth is unusually small |

| Description | Concept ID | Synonyms | Definition |
|--|------------|--|---|
| Osteogenesis imperfecta | 554673 | Fragilitas ossium;Brittle bone syndrome;Osteopsathyrosis;OI - Osteogenesis imperfecta | COLLAGEN DISEASES characterized by brittle, osteoporotic, and easily fractured bones. It may also present with blue sclerae, loose joints, and imperfect dentin formation. Most types are autosomal dominant and are associated with mutations in COLLAGEN TYPE I |
| Osteopetrosis | 952890 | Marble bone disease; Albers Schoenberg Disease | Excessive formation of dense trabecular bone leading to pathological fractures; OSTEITIS; SPLENOMEGALY with infarct; ANEMIA; and extramedullary hemopoiesis |
| Pharyngeal pouch | 918586 | Pharyngeal pouch | Pharyngeal pouch |
| Preauricular sinus and cyst | 962857 | Ear pit | Ear pit |
| Sinus, fistula and cyst of branchial cleft | 471316 | Sinus, fistula and cyst of branchial cleft; Cervical lymphoepithelial cyst | Heterogenous group of congenital malformations derived from incomplete in utero resorption of the pharyngeal clefts and pouches |
| Webbing of neck | 766109 | Pterygium colli | Webbing of neck |
| Other congenital malformations | 782146 | | |
| Congenital anomaly NOS of face and neck | 889623 | | Congenital anomaly NOS of face and neck |
| Congenital malformation of tongue NOS | 482115 | | Congenital malformation of tongue NOS |
| Congenital malformations of lips, not elsewhere classified | 756532 | | Congenital malformations of lips, not elsewhere classified |
| Other branchial cleft malformations | 945751 | | Other branchial cleft malformations (disorder) |
| Other congenital malformations of mouth | 833866 | | Other congenital malformations of mouth |
| Other congenital malformations of pharynx | 953012 | | Other congenital malformations of pharynx |
| Unspecified genetic jaw disease | 675003 | | Unspecified genetic jaw disease |
| Subcategory Gingival Swelling | 651346 | | |
| Gingival hyperplasia | 912458 | | |
| Drug-induced gingival hyperplasia | 900195 | Drug-induced gingival hyperplasia; Nifedipine; Cyclosporin A; Phenytoin | Drug-induced enlargement of the gingiva |
| Hormone-modified gingival hyperplasia | 282628 | | Hormone-modified gingival hyperplasia |
| Idiopathic fibrous gingival hyperplasia | 388964 | | Idiopathic generalized, but not necessarily symmetrical, enlargement of the gingiva |
| Leukemia-induced gingival hyperplasia | 583614 | | Leukemia-induced gingival hyperplasia |
| Irritation hyperplasia (gingiva) | 453664 | | Hyperplastic reaction of the gingiva in response to chronic irritation |
| Eruption cyst | 581502 | Follicular cyst of jaw;Tooth eruption hematoma;Eruptive odontogenic cyst;Eruption cyst of jaw;Follicular eruption of cyst of jaw | Soft-tissue variant of the dentigerous cyst, associated with an erupting deciduous or permanent tooth |

| Description | Concept ID | Synonyms | Definition |
|---|------------|--|--|
| Gingival cyst | 618544 | Gingival cyst of the adult | Small nodules or cysts in the gingivae, due to proliferation of the epithelial rests of Serres |
| Irritation fibroma (gingiva) | 857760 | Inflammatory fibrous hyperplasia of mouth;Denture granuloma;Denture hyperplasia;Denture-induced hyperplasia;Epulis fissuratum;Denture irritation hyperplasia | Intraoral mass that is the endpoint of a repair process, usually in response to chronic irritation or injury, such as biting |
| Parulis | 635141 | Gum boil;Gingival abscess;Parulides | Common lesion that develops exclusively on the gingiva. It is characteristically found at the opening of the sinus tract of a periapical or periodontal fistula |
| Acute pericoronitis (Operculitis) | 798860 | Pericoronitides; Operculitis | Inflammation or infection of the soft tissues adjacent to a partially erupted tooth |
| Chronic pericoronitis (Operculitis) | 798859 | Pericoronitides; Operculitis | Inflammation or infection of the soft tissues adjacent to a partially erupted tooth |
| Periodontal abscess | 784126 | | |
| Periodontal abscess without sinus tract | 836323 | Lateral periodontal abscess; Peridental abscess; Lateral alveolar abscess; Parodontal abscess; Parietal abscess of tooth; Paradontal abscess | Localized circumscribed purulent area of inflammation in the periodontal tissue |
| Periodontal abscess with sinus tract | 836324 | Lateral periodontal abscess; Peridental abscess; Lateral alveolar abscess; Parodontal abscess; Parietal abscess of tooth; Paradontal abscess | Localized circumscribed purulent area of inflammation in the periodontal tissue |
| Giant cell granuloma, peripheral | 293773 | Giant cell epulis; PGCG - Peripheral giant cell granuloma; Giant cell peripheral granuloma; | Exophytic lesion in the region of the gingiva or the edentulous alveolar mucosa |
| Peripheral odontogenic fibroma | 374083 | Mixed odontogenic tumor | Tumor composed of odontogenic epithelium and mesenchyme |
| Ossifying fibroma, peripheral | 299576 | Peripheral ossifying fibroma of gingivae (disorder);Peripheral ossifying fibroma of gingivae | Tumor- like growth of the oral soft tissues composed of fibrous or fully developed connective tissue and is often associated with sharp teeth, rough restoration, and ill-fitting dentures |
| Pyogenic granuloma (gingiva) | 775501 | Pyogenic granuloma of gingiva;Gingival pyogenic granuloma;Gingival pyogenic granuloma (disorder) | Granulation tissue overgrowth in reaction to mild irritation |
| Nonspecific hyperplastic gingivitis | 726166 | | Nonspecific hyperplastic gingivitis |
| Unspecified gingival swelling | 731031 | | Unspecified gingival swelling |
| Subcategory Inflammatory Jaw Lesion | 405454 | | |
| Alveolar osteitis (Dry Socket) | 941609 | Alveolitis of jaw (disorder);Alveolitis sicca dolorosa;Alveoalgia;Dry tooth socket | Nonsuppurative infection of the dento- alveolar bone which follows the extraction of a tooth |
| Bisphosphonate related osteonecrosis of the jaw (BRONJ) | 602462 | | Osteonecrosis of the jaw associated with bisphosphonate therapy |
| Osteomyelitis (neonatal) of jaw (acute) (chronic) (suppurative) | 194017 | | Osteomyelitis in neonates |

| Description | Concept ID | Synonyms | Definition |
|--|------------|---|--|
| Osteomyelitis--chronic | 303793 | Chronic Osteomyelitis | Chronic inflammatory condition of the bone marrow and adjacent bone |
| Chronic osteomyelitis with draining sinus | 546833 | | Chronic osteomyelitis with draining sinus (disorder) |
| Osteomyelitis--diffuse sclerosing | 918246 | | inflammatory response of bone to microorganisms of low virulence |
| Osteomyelitis--focal sclerosing | 221998 | Focal condensing osteitis | Reaction of bone to a mild bacterial infection, often the result of a carious tooth, in persons with a high degree of tissue resistance |
| Osteomyelitis--Garre's | 343904 | Sclerotic nonpurulent osteomyelitis | Chronic sclerosing osteomyelitis with a proliferative periostitis |
| Osteomyelitis--acute | 599099 | Osteomyelitis acute | Acute inflammatory condition of the bone marrow and adjacent bone |
| Osteonecrosis of the jaw (ONJ) | 423355 | Jaw Osteonecrosis; Aseptic necrosis of bone | Severe bone disease that affects the jaws. Damage and death to areas of jaw bone occur as a result of reduced local blood supply |
| Osteonecrosis due to previous trauma | 571381 | | Osteonecrosis due to previous trauma (disorder) |
| Other osteonecrosis | 399895 | | Other osteonecrosis (disorder) |
| Other secondary osteonecrosis | 756950 | | Other secondary osteonecrosis (disorder) |
| Osteitis of jaw (acute) (chronic) (suppurative) | 893676 | Osteitis of jaw (acute) (chronic) (suppurative) | Inflammation of the bone |
| Osteoradionecrosis | 163421 | Osteoradionecrosis (disorder); Radiation necrosis of bone | Death and sequestration of the bone following exposure to radiation |
| Periostitis of jaw (acute) (chronic) (suppurative) | 970020 | Periostitis of jaw (disorder) | Inflammation of the periosteum |
| Sequestrum of jaw bone | 472591 | | Piece of dead bone that has become separated during the process of necrosis from normal/sound bone |
| Unspecified inflammatory jaw lesion | 505918 | | Unspecified inflammatory jaw lesion |
| Subcategory Lip Swelling | 179481 | | |
| Angioedema (lip) | 356711 | Angioedema of lips | Swelling involving the deep dermis, subcutaneous, or submucosal tissues, representing localized edema |
| Cheilitis: NOS | 902834 | Cheilitis (disorder) | Inflammation of the lips |
| Angular Cheilitis | 504717 | Perleche; Angular stomatitis | Inflammatory lesion at the labial commissure, or corner of the mouth |
| Exfoliative Cheilitis | 798704 | | Chronic, mild, inflammatory disorder of the vermilion border of the lips |
| Glandular Cheilitis | 689913 | Cheilitis glandularis, Simple cheilitis glandularis | Uncommon disorder characterized by enlargement and secondary inflammatory changes of heterotopic salivary glands in the lips |
| Cellulitis (lip) | 345519 | Cellulitis of lip; Cellulitis of lip (disorder) | Non-suppurative inflammation of the subcutaneous tissues of the lip and extending along the connective tissue planes across the intercellular spaces |
| Cheilodynia | 819291 | Painful lips | Painful lips |
| Cheilosis | 749680 | Dry lips; Chapped lips; Cheilosis (disorder) | Dry lips |
| Irritation fibroma (lip) | 314636 | | Painless reactive proliferations of fibrous tissue that develop in response to repeated trauma |

| | Description | Concept ID | Synonyms | Definition |
|--------------------|--|------------|--|--|
| | Lip laceration | 187246 | | Jagged wound/cut to the lip |
| | Mucous retention phenomenon (lip) | 413006 | | Collection of salivary mucin entrapped within the connective tissue of the lip |
| | Salivary gland pathology (lip) | 599424 | | Salivary gland pathology (lip) |
| | Traumatic fibroma (lip) | 124946 | | Painless reactive proliferations of fibrous tissue that develop in response to repeated trauma |
| | Unspecified lip swelling | 317965 | | Unspecified lip swelling |
| Subcategory | Malignant Neoplasm | 632932 | | |
| | Carcinoma in situ of Lip, oral cavity and pharynx | 310774 | | Carcinoma in situ of Lip, oral cavity and pharynx |
| | Malignant neoplasm floor of mouth | 691984 | | Malignant neoplasm floor of mouth |
| | Malignant neoplasm Anterior floor of mouth to the premolar-canine junction | 393928 | | Malignant neoplasm Anterior floor of mouth to the premolar-canine junction |
| | Malignant neoplasm Lateral floor of mouth | 581236 | | Malignant neoplasm Lateral floor of mouth |
| | Malignant neoplasm gum | 205721 | | Malignant neoplasm gum |
| | Malignant neoplasm Gingiva of Maxilla | 479105 | | Malignant neoplasm Gingiva of Maxilla |
| | Malignant neoplasm Gingiva of Mandibula | 820857 | | Malignant neoplasm Gingiva of Mandibula |
| | Malignant ameloblastoma | 106797 | Malignant adamantinoma | Lesion exhibiting features of an ameloblastoma in primary and metastatic growths |
| | Malignant neoplasm Anterior two-thirds of tongue, ventral surface | 824236 | Malignant neoplasm anterior two-thirds of tongue, inferior surface | Malignant neoplasm Anterior two-thirds of tongue, ventral surface |
| | Malignant neoplasm Frenulum linguae | 211865 | Malignant tumour of fraenum linguae | Malignant neoplasm Frenulum linguae |
| | Malignant neoplasm Lingual tonsil | 665306 | | Malignant neoplasm Lingual tonsil |
| | Malignant neoplasm lip | 675737 | Lip cancer | Cancer of the lip |
| | Malignant neoplasm lower lip | 624789 | | |
| | Malignant neoplasm lower lip buccal aspect | 357754 | Cancer of lower lip, buccal aspect (disorder) | Malignant neoplasm lower lip buccal aspect |
| | Malignant neoplasm lower lip frenulum | 783993 | Malignant tumour of fraenum of lower lip | Malignant neoplasm lower lip frenulum |
| | Malignant neoplasm lower lip mucosa | 375096 | | Malignant neoplasm lower lip mucosa |
| | Malignant neoplasm lower lip oral aspect | 802914 | Malignant neoplasm lower lip oral aspect | Malignant neoplasm lower lip oral aspect |

| Description | Concept ID | Synonyms | Definition |
|---|-------------------|---|---|
| Malignant neoplasm lower lip vermilion border | 618977 | Malignant neoplasm lower lip vermilion border, Malignant neoplasm lower lipstick area | Malignant neoplasm lower lip vermilion border |
| Malignant neoplasm upper lip | 611478 | | |
| Malignant neoplasm upper lip buccal aspect | 159286 | Malignant neoplasm of upper lip, buccal aspect (disorder) | Malignant neoplasm upper lip buccal aspect |
| Malignant neoplasm upper lip frenulum | 616753 | Malignant tumor of frenum of upper lip;Malignant tumour of fraenum of upper lip | Malignant neoplasm upper lip frenulum |
| Malignant neoplasm upper lip mucosa | 416755 | Malignant tumor of upper labial mucosa;Malignant tumor of buccal aspect of upper lip;Malignant neoplasm of upper lip, inner aspect;Malignant tumor of inner aspect of upper lip;Malignant tumor of oral aspect of upper lip;Malig tumor of mucosa of upper lip;Malignant neoplasm of upper lip, oral aspect | Malignant neoplasm upper lip mucosa |
| Malignant neoplasm upper lip oral aspect | 331976 | Malignant tumor of upper labial mucosa, Malignant tumor of buccal aspect of upper lip, Malignant tumor of inner aspect of upper lip, Malig tumor of mucosa of upper lip;Malignant neoplasm of upper lip, oral aspect | Malignant neoplasm upper lip oral aspect |
| Malignant neoplasm upper lip vermilion border | 914540 | Malignant neoplasm upper lip vermilion border, Malignant neoplasm upper lipstick area | Malignant neoplasm upper lip vermilion border |
| Malignant neoplasm major salivary glands | 421558 | Cancer of major salivary glands | Malignant neoplasm major salivary glands |
| Malignant neoplasm of Parotid gland | 205866 | Cancer of parotid gland | Malignant neoplasm of Parotid gland |
| Malignant neoplasm of Sublingual gland | 877169 | Cancer of Sublingual gland | Malignant neoplasm of Sublingual gland |
| Malignant neoplasm of Submandibular gland | 162967 | Cancer of Submandibular gland | Malignant neoplasm of Submandibular gland |
| Malignant neoplasm vestibule | 691393 | | Malignant neoplasm of vestibule of mouth |
| Malignant neoplasm of Buccal sulcus - lower | 697675 | Cancer of Buccal sulcus - lower | Malignant neoplasm of Buccal sulcus - lower |
| Malignant neoplasm of Labial sulcus - lower | 686456 | Cancer of Labial sulcus - lower | Malignant neoplasm of Labial sulcus - lower |
| Malignant neoplasm of Labial sulcus - upper | 851984 | Cancer of Labial sulcus - upper | Malignant neoplasm of Labial sulcus - upper |
| Malignant neoplasm of Buccal sulcus - upper | 663900 | Cancer of Buccal sulcus - upper | Malignant neoplasm of Buccal sulcus - upper |
| Malignant neoplasm of Mandible | 176595 | | Malignant neoplasm of Mandible |
| Malignant neoplasm of Overlapping lesion in mouth | 549608 | | Malignant neoplasm of Overlapping lesion in mouth |

| Description | Concept ID | Synonyms | Definition |
|--|------------|--|--|
| Malignant neoplasm of Overlapping lesion of lip, oral cavity and pharynx | 351424 | | Malignant neoplasm of Overlapping lesion of lip, oral cavity and pharynx |
| Malignant neoplasm of Overlapping lesion of major salivary glands | 592795 | | Malignant neoplasm of Overlapping lesion of major salivary glands |
| Malignant neoplasm of Overlapping lesion of palate | 632384 | | Malignant neoplasm of Overlapping lesion of palate |
| Malignant neoplasm Overlapping lesion of floor of mouth | 646520 | | Malignant neoplasm Overlapping lesion of floor of mouth |
| Malignant neoplasm Overlapping lesion of tongue | 239757 | Malignant neoplasm Overlapping lesion of tongue | Malignant neoplasm Overlapping lesion of tongue |
| Malignant neoplasm of Retromolar area | 178680 | | Malignant neoplasm of Retromolar area |
| Malignant neoplasm of Maxilla | 319200 | | Malignant neoplasm of Maxilla |
| Malignant neoplasm of Uvula | 252261 | | Malignant neoplasm of Uvula |
| Malignant neoplasm Tongue | 132657 | | Malignant neoplasm tongue |
| Malignant neoplasm Border of tongue | 870502 | Malignant neoplasm of border of tongue (disorder);Malignant neoplasm of tip AND/OR lateral border of tongue | Malignant neoplasm Border of tongue |
| Malignant neoplasm Dorsal surface of base of tongue | 740591 | | Malignant neoplasm Dorsal surface of base of tongue |
| Malignant neoplasm Buccal mucosa | 248026 | Malignant Buccal Mucosa Neoplasm;Malignant Buccal Mucosa Tumor | Malignant Buccal Mucosa Neoplasm;Malignant Buccal Mucosa Tumor;Malignant Neoplasm of the Buccal Mucosa;Malignant Tumor of the Buccal Mucosa;Malignant Neoplasm of Buccal Mucosa;Malignant Tumor of Buccal Mucosa |
| Malignant neoplasm Posterior third of tongue | 589811 | Malignant tumor of base of tongue;Malignant tumor of fixed part of tongue;Malignant neoplasm of posterior third of tongue;Malignant tumor of tongue posterior to vallate papillae;Malignant tumor of posterior third of tongue | Malignant neoplasm Posterior third of tongue |
| Malignant neoplasm Tip of tongue | 349385 | | Malignant neoplasm Tip of tongue |
| Malignant neoplasm Anterior two-thirds of tongue, dorsal surface | 705888 | | Malignant neoplasmAnterior two-thirds of tongue, dorsal surface |
| Malignant neoplasm oropharynx | 411159 | | Malignant neoplasm of oropharynx |
| Malignant neoplasm palate | 554419 | Malignant neoplasm of palate, unspecified | Malignant neoplasm of palate, unspecified |

| Description | Concept ID | Synonyms | Definition |
|--|------------|---|--|
| Malignant neoplasm of Hard palate | 862454 | | Malignant neoplasm of Hard palate |
| Malignant neoplasm of Soft palate | 615318 | | Malignant neoplasm of Soft palate |
| Melanoma in situ of lip | 740215 | | Melanoma in situ of lip |
| Carcinoma - Sarcoma | 746582 | | |
| Metastatic carcinoma | 317007 | | Cancers able to grow at sites distant from the primary site of origin |
| Squamous cell carcinoma | 110974 | Squamous Cell Epithelioma;Malignant Epidermoid Cell Neoplasm;Squamous Carcinoma;Malignant Squamous Cell Neoplasm;Epidermoid Cell Cancer;Malignant Squamous Cell Tumor | Carcinomatous cancer occurring in multiple organs; skin, mouth, lips, esophagus |
| Central mucoepidermoid carcinoma | 285826 | | Central mucoepidermoid carcinoma |
| Osteosarcoma | 824324 | Osteogenic Sarcoma | Aggressive cancerous neoplasm arising from primitive transformed cells of mesenchymal origin that exhibit osteoblastic differentiation and produce malignant osteoid |
| Chondrosarcoma | 695125 | Chondrosarcoma | Slowly growing malignant neoplasm derived from cartilage cells |
| Ewing sarcoma | 727803 | Ewing's Tumor;ES;Ewing Sarcoma | Malignant round-cell tumour |
| Fibrosarcoma | 851001 | Fibroblastic Sarcoma | Malignant neoplasm of fibrous connective tissue |
| Leukemia/lymphoma | 854126 | | |
| Non-Hodgkin's lymphoma | 216526 | | Any of a group of malignant tumors of lymphoid tissue that differ from HODGKIN DISEASE, being more heterogeneous with respect to malignant cell lineage, clinical course, prognosis, and therapy. The only common feature among these tumors is the absence of giant REED-STERNBERG CELLS, a characteristic of Hodgkin's disease |
| Acute lymphocytic leukemia | 670309 | Precursor Cell Lymphoblastic Leukemia; Acute Lymphoblastic Leukemia (ALL) | Aggressive neoplasm composed of immature lymphoid cells that overwhelm the bone marrow, peripheral blood, lymphoid tissues, and sometimes the viscera |
| Burkitt's lymphoma | 241164 | Burkitt Lymphoma;Small Non-Cleaved Cell Lymphoma, Burkitt's Type | Solid tumor of B lymphocytes |
| Hodgkin's lymphoma, unspecified | 876303 | | Hodgkin's disease, unspecified |
| Leukaemia, unspecified | 351037 | Leukaemia, unspecified | Leukaemia, unspecified |
| Multiple myeloma | 635927 | Kahler's disease; Myelomatosis; Plasma cell myeloma | Malignancy of mature PLASMA CELLS engaging in monoclonal immunoglobulin production and characterized by hyperglobulinemia, excess Bence-Jones proteins in the urine, skeletal destruction, bone pain, and fractures |
| Plasma cell neoplasm | 925608 | Plasmacytic Tumor;Plasma Cell Dyscrasia;Plasmacytic Tumor;Plasmacytic Neoplasm;Plasma Cell Tumor | Monoclonal proliferation of terminally differentiated B cells |
| Malignant neoplasm of Minor salivary gland, unspecified site | 683594 | | Malignant neoplasm of Minor salivary gland, unspecified site |

| | Description | Concept ID | Synonyms | Definition |
|--------------------|---|-------------------|---|---|
| | Malignant neoplasm of Oral cavity NOS | 497998 | | Malignant neoplasm of Oral cavity NOS |
| | Malignant neoplasm of Oropharynx, unspecified | 445477 | | Malignant neoplasm of Oropharynx, unspecified |
| | Monocytic leukaemia, unspecified | 277495 | | Monocytic leukaemia, unspecified |
| | Myeloid leukaemia, unspecified | 149920 | | Myeloid leukaemia, unspecified |
| | Unspecified malignant neoplasm | 288134 | Other and unspecified malignant neoplasms of lymphoid and histiocytic tissue;ICE : Malignant neoplasm of bone marrow NOS | Unspecified malignant neoplasm |
| Subcategory | Metabolic Jaw Disease | 127588 | | |
| | Acromegaly | 350461 | Anterior pituitary adenoma syndrome;Growth hormone hypersecretion syndrome;STH hypersecretion syndrome;Marie disease;Acromegalia; Inappropriate Growth Hormone Secretion Syndrome | Condition caused by prolonged exposure to excessive human growth hormone in adults. It is characterized by bony enlargement of the face; lower jaw ; hands; feet;head; and thorax |
| | Paget's disease | 689760 | Paget Disease;Paget Cell Neoplasm;Osteitis deformans | A disease marked by repeated episodes of increased bone resorption followed by excessive attempts at repair, resulting in weakened, deformed bones of increased mass. The resultant architecture of the bone assumes a mosaic pattern in which the fibers take on a haphazard pattern instead of the normal parallel symmetry |
| | Osteoporosis | 624178 | Osteoporosis | Reduction of bone mass without alteration in the composition of bone |
| | Osteoporosis (without pathological fracture) | 146238 | Osteoporosis | Reduction of bone mass without alteration in the composition of bone |
| | Osteoporosis (with pathological fracture) | 146237 | Pathological fracture due to osteoporosis | Reduction of bone mass without alteration in the composition of bone, leading to fractures |
| | Unspecified metabolic jaw disease | 742896 | | Unspecified metabolic jaw disease |
| Subcategory | Throat/Neck Swelling | 859506 | | |
| | Peritonsillar abscess | 922981 | Quinsy;Peritonsillar abscess (disorder);Angina tonsillaris;Peritonsillar cellulitis | An accumulation of purulent material in the area between the PALATINE TONSIL and its capsule |
| | Retropharyngeal and parapharyngeal abscess | 722028 | Deep neck abscesses | Deep neck abscesses |
| | Unspecified neck swelling | 288017 | | Unspecified neck swelling |
| Subcategory | Oral/Perioral Pigmentation | 511015 | | |
| | Amalgam tattoo | 342613 | | Amalgam deposition that develops either as a result of continuous contact between an amalgam filling and the gingiva or from embedding of amalgam fragments in the oral tissues during dental filling or surgical procedures |
| | Ephelis | 333304 | Freckle;Ephelis (disorder) | Melanin is increased in the basal layers of the epidermis but melanocytes are normal in number and morphology |

| | Description | Concept ID | Synonyms | Definition |
|--------------------|---|------------|--|--|
| | Melanoma | 643030 | Malignant Melanoma | Malignant tumor of melanocytes |
| | Melanosis | 333856 | Melanosis (disorder) | Benign hyperpigmented area of skin and/or mucosa |
| | Melanotic macule | 833002 | Labial melanotic macule, oral melanotic macule | Benign pigmented lesion of oral cavity characterised by increase in melanin pigmentation |
| | Nevus | 111426 | | A circumscribed stable malformation of the skin and occasionally of the oral mucosa, which is not due to external causes and therefore presumed to be of hereditary origin |
| | Oral tissue tattoo | 721188 | | Oral tissue tattoo |
| | Physiologic pigmentation | 805618 | | Physiologic pigmentation |
| | Unspecified oral/perioral pigmentation | 206051 | | Unspecified oral/perioral pigmentation |
| Subcategory | Other Hard Tissue Lesion | 464039 | | |
| | Unspecified mixed lucency of the jaw | 537608 | | Unspecified mixed lucency of the jaw |
| | Unspecified radiopacity of the jaw | 629068 | | Unspecified radiopacity of the jaw |
| | Unspecified radiolucency of the jaw | 720151 | | Unspecified radiolucency of the jaw |
| | Pathological fracture due to neoplastic disease | 720152 | Fracture of bone in neoplastic disease | Fracture of bone in neoplastic disease |
| Subcategory | Other Soft Tissue Enlargement | 727016 | | |
| | Unspecified soft tissue enlargement | 948405 | | Unspecified soft tissue enlargement |
| Subcategory | Other Surface Lesion | 564454 | | |
| | Denture Mucositis | 976532 | | Inflammation under prosthesis |
| | Denture stomatitis (Denture sore mouth) | 691923 | Denture sore mouth | Denture sore mouth |
| | Unspecified surface epithelial lesion | 107171 | | Unspecified surface epithelial lesion |
| Subcategory | Palatal Swelling | 521744 | | |
| | Mucous retention phenomenon (palate) | 523850 | | Collection of salivary mucin entrapped within the connective tissue of the palate |
| | Palatal abscess (incl. Bednar's aphthae) | 890198 | | Palatal abscess (incl. Bednar's aphthae) |
| | Salivary gland pathology (palate) | 594422 | | Salivary gland pathology (palate) |
| | Maxillary neoplasm | 569119 | Maxillary neoplasm | Upper jaw bone tumor |

| | Description | Concept ID | Synonyms | Definition |
|--------------------|---------------------------------------|------------|--|--|
| | Maxillary sinus neoplasm | 395998 | Tumor of the Maxillofacial Sinus;Neoplasm of the Maxillofacial Sinus;Neoplasm of the Maxillary Sinus;Maxillary Antrum Tumor;Neoplasm of the Maxillary Antrum;Maxillofacial Sinus Neoplasm;Neoplasm of Maxillofacial Sinus;Neoplasm of Maxillary Antrum;Tumor of the Maxillary Antrum | Maxillary sinus neoplasm |
| | Lymphoma | 558298 | Lymphoma (Hodgkin's and Non-Hodgkin's);Malignant Lymphoma | Cancer in the lymphatic cells of the immune system which presents as solid tumors of lymphoid cells |
| | Unspecified palatal swelling | 713140 | | Unspecified palatal swelling |
| Subcategory | Paranasal Sinus Pathology | 390551 | | |
| | Antrolith/Rhinolith | 170510 | Calculi/Stones of the Antrum/Nose | Calcified mass located in the paranasal sinuses |
| | Dental structure displaced into sinus | 334520 | Oroantral communication; Foreign body in the paranasal sinus | Dental structure displaced into sinus |
| | Empyema | 781944 | Paranasal sinus abscess | Abscess collection in the paranasal sinus |
| | Sinonasal papilloma | 639108 | Inverted papilloma; Intraductal papilloma; Schneiderian papilloma; Cylindric papilloma; Epithelial papilloma (sinus) | Benign tumor derived from epithelium |
| | Mucocele (sinus) | 670748 | Mucoceles of the paranasal sinus (usually mucous extravasation phenomenon) | Accumulation of mucus either in the connective tissues |
| | Mucositis | 656874 | Paranasal mucositis; Paranasal mucosities | Inflammation of the nasal mucosa in one or more of the paranasal sinuses |
| | Mucous retention cyst maxillary sinus | 969444 | | Collection of salivary mucin entrapped within the connective tissue of the maxillary antrum |
| | Osteoma (sinus) | 323279 | Paranasal sinus osteoma | Circumscribed foci of dense compact bone contiguous with host bone |
| | Periostitis (sinus) | 589241 | | Inflammation of the periosteum |
| | Polyp (sinus) | 170505 | Antral polyp | Polyp in the maxillary antrum |
| | Pseudotumor (sinus) | 758667 | Inflammatory pseudotumor | Rare benign lesion containing a proliferation of fibroblasts, collagen and inflammatory cells |
| | Sinusitis | 901013 | Acute Alveolar Sinus Pathology | Inflammatory disease of the paranasal sinuses resulting from infectious, allergic or autoimmune processes |
| | Squamous cell carcinoma (sinus) | 364719 | Antral squamous cell carcinoma | Squamous cell carcinoma of the maxillary antrum |
| | Traumatic injury to sinus | 790986 | | Traumatic injury to sinus |
| | Chronic sinusitis, unspecified | 835240 | | Chronic sinusitis, unspecified |
| | Unspecified paranasal sinus pathology | 876170 | | Unspecified paranasal sinus pathology |
| Subcategory | Red-Blue Lesion | 710483 | | |
| | Atrophic candidiasis | 854930 | Atrophic thrush | Red, painful and erythematous patch on oral mucosa that persists for some time with no indication of pseudomembranous white lesion |
| | Ecchymoses | 402945 | Bruisability | Extravasation of blood into the skin, resulting in a nonelevated, rounded or irregular, blue or purplish patch, larger than a petechia |

| Description | Concept ID | Synonyms | Definition |
|----------------------------------|-------------------|--|---|
| Erosive lichen planus | 908747 | Erosive lichen planus of lips;Erosive lichen planus of lips (disorder) | Classic oral lichen planus lesions accompanied by erosions which are extensive, superficial, covered with fibrin, and with irregular outlines and painful |
| Erythroplakia of mouth or tongue | 450234 | Erythroplasia; Erythroplakia | Any lesion of the oral mucosa that presents as bright red velvety plaque which cannot be characterized clinically or pathologically as any other recognizable condition |
| Hemangioma | 743528 | Benign Angioma;Benign Hemangioma | Benign lesion of the oral cavity, characterized by the proliferation of blood vessels |
| Hematoma | 782495 | Haematoma | Extravasation of blood outside the blood vessels , generally the result of hemorrhage |
| Infantile hemangioma | 782496 | Capillary hemangioma; Strawberry nevus of skin | A very common type of birthmark made of blood vessels. They may at first only appear as a small bruise, scratch or a tiny red bump. Unlike other types of birthmarks, they grow and change greatly during the first months of life. They may occur anywhere on the skin surface but are most common on the scalp, face and neck |
| Kaposi's sarcoma | 955087 | Kaposi Sarcoma;Multiple Hemorrhagic Sarcoma;Kaposi's Sarcoma | Multicentric, malignant neoplastic vascular proliferation characterized by the development of bluish-red cutaneous nodules and slowly increasing in size and number |
| Kaposiform hemangioendothelioma | 955089 | | A vascular tumor associated with the Kasabach-Merritt phenomenon (severe coagulopathy due to platelet trapping and spontaneous bleeding). KHE may be present at birth in neonates, or they can develop in infants within the first few months after birth. An ill-defined purpuric mass is a common presentation. Destructive bone changes in adjacent bones are common |
| Median rhomboid glossitis | 901574 | Central papillary atrophy; Persistent tuberculum impar | Smooth well-demarcated area of erythema at the junction of the anterior two- thirds and posterior one-third of the tongue |
| Peripheral giant cell granuloma | 436661 | Giant cell epulis;PGCG - Peripheral giant cell granuloma;Giant cell peripheral granuloma | Exophytic lesion in the region of the gingiva or the edentulous alveolar mucosa |
| Petechiae | 282223 | Petechial rash;Petechial eruption | Tiny, flat, round hemorrhages visible in the skin, mucous membranes, or serosal surfaces |
| Plasma cell gingivitis | 721641 | Atypical gingivostomatitis | Uncommon, nonmalignant lesion, is characterized by an offending allergen which causes massive infiltration of plasma cells into the subepithelial tissue |
| Pyogenic granuloma | 283993 | Granuloma Pyogenicum;Lobular Capillary Hemangioma | Granulation tissue overgrowth in reaction to mild irritation |
| Red lesion contact allergy | 696465 | | Red lesion resulting from exposure to an allergen |
| Red lesion drug reaction | 344440 | | Red lesion in response to drug intake |
| Strawberry tongue | 309027 | | Reddened hypertrophied lingual papillae |
| Traumatic erythema | 241034 | | When a traumatic effect results in hemorrhage within the oral tissues |
| Varix | 648605 | Varicose vein;venous varicosity;varices | Abnormally dilated or swollen vein, artery, or lymph vessel |
| Unspecified red-blue lesion | 410306 | | Unspecified red-blue lesion |

| | Description | Concept ID | Synonyms | Definition |
|--------------------|--|------------|--|---|
| Subcategory | Salivary Gland Pathology | 608764 | | |
| | Abscess of salivary gland | 540823 | Salivary gland abscess | Abscess of salivary gland |
| | Parotid gland abscess | 977672 | | Abscess of the Parotid |
| | Sublingual gland abscess | 976737 | | Abscess of the Sublingual gland |
| | Submandibular gland abscess | 976031 | | Abscess of the Submandibular gland |
| | Adenoid cystic carcinoma | 540824 | Adenocystic carcinoma; Cyndroma | Carcinoma characterized by bands or cylinders of hyalinized or mucinous stroma separating or surrounded by nests or cords of small epithelial cells. When the cylinders occur within masses of epithelial cells, they give the tissue a perforated, sievelike, or cribriform appearance. Such tumors occur in the mammary glands, the mucous glands of the upper and lower respiratory tract, and the salivary glands. They are malignant but slow-growing, and tend to spread locally via the nerves |
| | Parotitis | 813227 | | Inflammation of the Parotid gland |
| | Allergic Parotitis | 544040 | Recurrent Parotitis | Allergic parotitis (disorder);Recurrent Parotitis |
| | Parotitis:epidemic | 324955 | (Unspecified mumps complication) or (epidemic parotitis);Epidemic parotitis;Mumps with unspecified complication;Parotitis - epidemic | An acute infectious disease caused by RUBULAVIRUS, spread by direct contact, airborne droplet nuclei, fomites contaminated by infectious saliva, and perhaps urine, and usually seen in children under the age of 15, although adults may also be affected |
| | Parotitis:infectious | 507038 | Bacterial parotitis; Tuberculosis parotitis; HIV parotitis | Acute, contagious, febrile disease marked by inflammation of the salivary glands |
| | Toxic Parotitis | 702012 | | Parotitis due to the action of toxic material of microbic origin |
| | Atrophy of salivary gland | 783949 | Salivary gland atrophy | Atrophy of salivary gland |
| | Autoimmune sialadenitis | 779556 | Lymphoepithelial sialadenitis; Autoimmune sialoadenitis | Group of salivary gland disorders resulting from underlying autoimmune processes such as Sjogren's syndrome and Mikulicz's disease |
| | Benign lymphoepithelial lesion of salivary gland | 379921 | | Localized lymphocytic infiltration of the salivary and lacrimal glands |
| | Cystic lesion of salivary gland | 963818 | | Cystic lesion of salivary gland |
| | Extravasation cyst of salivary gland | 230985 | | Swelling of connective tissue consisting of collected mucin due to a ruptured salivary gland duct usually caused by local trauma. Wall of a mucous extravasation cyst is composed of compressed granulation tissue with no epithelial lining |
| | Retention cyst of salivary gland | 451748 | Mucous retention cyst of salivary gland;Retention cyst salivary gland | Occurs when the duct of a gland, such as a salivary gland, becomes blocked, resulting in an accumulation lined by epithelium |
| | Fistula of salivary gland | 831844 | Salivary gland fistula | Communication between a salivary duct or gland and the cutaneous surface, or into the mouth through an abnormal pathway |
| | Hemangioma of salivary gland | 595873 | Salivary gland hemangioma | Hemangioma of salivary gland |
| | Hypertrophy of salivary gland | 451818 | Salivary gland enlargement;Salivary gland hyperplasia | Salivary gland enlargement;Salivary gland hyperplasia;Hypertrophy of salivary gland (disorder) |

| Description | Concept ID | Synonyms | Definition |
|---|-------------------|--|--|
| Hyposecretion | 412267 | Salivary hyposecretion;Hyposalivation;Inadequate salivary flow;Hyposecretion of salivary gland (disorder);Hypoactive salivary flow | Hyposecretion of salivary gland |
| Malignant mixed salivary gland tumor | 887167 | | Carcinoma ex pleomorphic adenoma; Carcinosarcoma; Metastatic mixed tumor |
| Mikulicz disease | 905143 | Mikulicz's disease; Mikulicz syndrome | Chronic condition characterized by the abnormal enlargement of glands in the head and neck, including those near the ears (parotids) and those around the eyes (lacrimal) and mouth (salivary). Although the disorder is described as benign, it usually occurs in association with other underlying disorders such as tuberculosis, leukemia, syphilis, Hodgkin's disease, lymphosarcoma, Sjogren syndrome, or lupus (SLE). People who have Mikulicz syndrome are at heightened risk for developing lymphomas |
| Mucoepidermoid salivary gland carcinoma | 412173 | | Malignant neoplasm of salivary gland origin that can present as a smooth-surfaced swelling or a non-healing ulcer on the oral mucosa |
| Pleomorphic adenoma | 343429 | | Benign salivary gland , epithelial- derived tumor composed of cells that demonstrate both epithelial and mesenchymal differentiation |
| Ptyalism | 262113 | Hyperactive salivary flow;Sialorrhea;Sialosis;Sialismus;Hypersalivation;Hypersecretion of saliva;Hypersecretion of salivary gland;Ptyalorrhea;Salivary hypersecretion;Sialism;Polysialia | Excessive salivation |
| Sialadenitis | 743729 | | INFLAMMATION of salivary tissue |
| Sialadenosis | 157079 | Sialosis | Non inflammatory salivary gland swelling |
| Sialectasia | 262211 | Sialectasis | Dilatation of salivary duct |
| Sialoangitis | 412221 | Sialodochitis;Sialodochitis | Inflammation of the excretory ducts of the salivary glands may be due to invasion by bacteria or the introduction of foreign bodies into the excretory ducts |
| Sialolithiasis | 905142 | Sialodocholithiasis; Sialodocholithiasis | Calculus of salivary gland or duct; Stone of salivary gland or duct |
| Stenosis of salivary duct | 210341 | Stricture of salivary duct | Narrowing of the salivary duct |
| Stricture of salivary duct | 843571 | Stenosis of salivary duct | Narrowing of the salivary duct |
| Warthin tumor | 531880 | Papillary Cystadenoma Lymphomatosum; Adenolymphoma | Slow-growing mass, often in the tail of the parotid, although it can become inflamed with a painful presentation and rapid growth after an indolent course for years |
| Xerostomia | 494038 | Hyposalivations; Asialia; Mouth Dryness | Dry mouth |
| Sialoadenopathy NOS | 889263 | | Sialoadenopathy NOS |
| Other malignant/metastatic salivary gland tumor | 316508 | | Other malignant/metastatic salivary gland tumor |

| | Description | Concept ID | Synonyms | Definition |
|--------------------|---|------------|---|---|
| Subcategory | Skin Lesion | 611893 | | |
| | Benign skin lesion | 148337 | | Noncancerous growths or areas of pigment or color change on the skin |
| | Erythema multiforme | 146789 | | |
| | Bullous erythema multiforme | 558587 | | Vesiculobullous disease characterized by a more severe and extensive cutaneous eruption associated with fever and considerable toxicity |
| | Nonbullous erythema multiforme | 298837 | | Nonbullous erythema multiforme |
| | Connective tissue disease | 140373 | | Any disease that has the connective tissues of the body as a target of pathology |
| | Discoid lupus erythematosus | 492161 | DLE - Discoid lupus erythematosus (disorder); Chronic cutaneous lupus erythematosus | Benign connective tissue disorder of skin characterized by various sized reddish well-defined scaly patch, most commonly over face, which heals with atrophy, scarring and pigmentary changes |
| | Freckles (ephelis) | 779580 | Freckle;Ephelis (disorder) | A variety of skin discoloration, due to the deposit of pigment, excited by the action of the sun's rays |
| | Herpes simplex labialis | 719494 | Herpes labialis;Cold sore;Fever blister;Cold sores; | Infection of the lip by herpes simplex virus |
| | Herpes Zoster | 538347 | Herpes zoster without mention of complication;Zona;Shingles;Zoster;Herpes zoster infection | Viral disease characterized by a painful skin rash with blisters in a limited area on one side of the body, often in a stripe and caused by reactivation of latent Varicella infection |
| | Localized scleroderma [morphea] | 351278 | Morphoea scleroderma;Localised morphoea;Morphea scleroderma;Localized dermatosclerosis;Circumscribed scleroderma;Addison's keloid;Localised scleroderma | A term used to describe a variety of localized asymmetrical SKIN thickening that is similar to those of SYSTEMIC SCLERODERMA but without the disease features in the multiple internal organs and BLOOD VESSELS. Lesions may be characterized as patches or plaques (morphea), bands (linear), or nodules |
| | Linear scleroderma | 856265 | Linear morphea | A type of localized scleroderma which is an auto-immune disorder characterized by a line of thickened skin which can affect the bones and muscles underneath it |
| | Malignant skin lesion | 729683 | | Cancerous skin cells that have the ability to spread to other sites in the body or to invade and destroy tissues |
| | Melanocytic naevi of lip | 157193 | Melanocytic nevus of lip;Pigmented nevi of lip | Tumor of modified melanocytes usually dark brown, slightly raised, sharply demarcated skin lesion measuring several millimeters |
| | Papulosquamous dermatoses | 262339 | | Group of skin disorders characterized by scaling papules and plaques |
| | Pre-malignant skin lesion | 784802 | Pre-malignant skin lesion | Morphologically altered skin tissue in which cancer is more likely to occur than in its apparently normal counterpart |
| | Radiodermatitis | 209054 | Radiation-Induced Dermatitis | Skin reaction that is caused by radiation to the skin tissues |
| | Skin changes due to chronic exposure to nonionizing radiation | 775542 | | Skin changes due to chronic exposure to nonionizing radiation |
| | Flat skin lesion | 713658 | | |
| | Skin erosion | 367592 | Skin erosion/fissure/ulcer/scar | Discontinuity of the skin exhibiting incomplete/complete loss of the epidermis and often portions of the dermis and even subcutaneous fat |

| Description | Concept ID | Synonyms | Definition |
|--|------------|---|---|
| Skin fissure | 335894 | Skin erosion/fissure/ulcer/scar | Discontinuity of the skin exhibiting incomplete/complete loss of the epidermis and often portions of the dermis and even subcutaneous fat |
| Skin ulcer | 369842 | Skin erosion/fissure/ulcer/scar | Discontinuity of the skin exhibiting incomplete/complete loss of the epidermis and often portions of the dermis and even subcutaneous fat |
| Skin scar | 321486 | Skin erosion/fissure/ulcer/scar | Discontinuity of the skin exhibiting incomplete/complete loss of the epidermis and often portions of the dermis and even subcutaneous fat |
| Skin macule | 478009 | Skin macule | Change in surface color of skin, without elevation or depression and, therefore, nonpalpable, well or ill-defined, variously sized, but generally considered less than either 5 or 10mm in diameter at the widest point |
| Skin papule | 908321 | Papular Lesion;Papule | Circumscribed, solid elevation of skin with no visible fluid, varying in size from a pinhead to either less than 5 or 10mm in diameter at the widest point |
| Raised skin lesion | 942187 | | |
| Skin nodule | 654582 | Nodule of skin, Cutaneous nodule | Morphologically similar to a papule, but is greater than either 5 or 10mm in both width and depth, and most frequently centered in the dermis or subcutaneous fat. The depth of involvement is what differentiates a nodule from a papule |
| Skin vesicle | 614759 | Skin vesicle/bulla/pustule | Circumscribed, fluid-containing, epidermal elevation |
| Skin bulla | 628719 | Skin vesicle/bulla/pustule | Circumscribed, fluid-containing, epidermal elevation |
| Skin pustule | 689716 | Skin vesicle/bulla/pustule | Circumscribed, fluid-containing, epidermal elevation |
| Skin wheal | 471845 | Urticaria; Hives | Rounded or flat-topped, pale red papule or plaque that is characteristically evanescent, disappearing within 24 to 48 hours |
| Stevens-Johnson syndrome | 687400 | | A variant of bullous erythema multiforme. It ranges from mild skin and mucous membrane lesions to a severe, sometimes fatal systemic disorder |
| Sunburn | 884379 | Erythema solare;Solar erythema;Solar dermatitis | Reddening of the skin due to overexposure to the sun |
| Varicella [chickenpox] | 615988 | Varicella infection;Chicken pox | Highly contagious illness caused by primary infection with varicella zoster virus (VZV) |
| Vesicular stomatitis virus disease [Indiana fever] | 158764 | Vesicular stomatitis Indiana virus disease;Vesicular stomatitis fever;Indiana fever | Zoonotic infection caused by Indiana virus |
| Other acute skin changes due to ultraviolet radiation | 111273 | | Other acute skin changes due to ultraviolet radiation (disorder) |
| Other disorders of skin and subcutaneous tissue related to radiation | 633863 | | Other disorders of skin and subcutaneous tissue related to radiation |
| Unspecified skin lesion | 607661 | | Unspecified skin lesion |
| Subcategory Soft Tissue Calcification | 519832 | | |
| Antrolith/Rhinolith | 170510 | Calculi/Stones of the Antrum/Nose | Calculi/Stones of the Antrum/Nose |
| Calcified atherosclerotic plaque | 863443 | | Calcified atherosclerotic plaque |

| Description | Concept ID | Synonyms | Definition |
|---|------------|--|---|
| Calcified lymph node | 296047 | | Calcified lymph node |
| Calcified stylohyoid ligament | 301712 | Eagles syndrome | Calcification of the stylohyoid ligament |
| Laryngeal cartilage calcification | 312030 | | Laryngeal cartilage calcification |
| Osteoma cutis | 105512 | | Cutaneous ossification |
| Phlebolith | 419515 | Venous Calculi | Calcifications that originate in thrombi within veins |
| Sialolith | 774670 | Salivary stone;Salivary calculus; | Calculus of salivary gland |
| Tonsillolith | 933012 | Amygdalolith;Tonsillith;Tonsil stone;Tonsillar calculus;Calculus of tonsil | Tiny foul-smelling stones found in crypts within the tonsils |
| General dystrophic calcification oral region | 496009 | | General dystrophic calcification oral region |
| Subcategory STD | 164530 | | |
| Hutchinson's incisors | 937197 | Hutchinson's teeth, Screwdriver teeth | Notched incisors of Hutchinson |
| Kaposi's sarcoma | 955087 | Kaposi Sarcoma;Multiple Hemorrhagic Sarcoma;KS | Multicentric, malignant neoplastic vascular proliferation characterized by the development of bluish-red cutaneous nodules and slowly increasing in size and number |
| Mulberry molars | 840069 | Moon's molar teeth (synonym), Moon's molars | First molars which possess many small cusps instead of the usual four well-developed cusps. The grinding surface is narrower than at the gum margin, and the enamel is poorly developed |
| Syphilis chancre | 876812 | Primary syphilis;Primary syphilis - chancre | Painless ulceration formed during the primary stage of syphilis |
| Syphilis interstitial glossitis | 106205 | Interstitial glossitis due to Syphilis | Oral manifestation of tertiary syphilis consisting of atrophy of the filiform and fungiform papillae, which results in a smooth, sometimes wrinkled lingual surface |
| Syphilis mucous patch | 374881 | | Usually a discrete, small, white necrotic lesion on the tongue, palate, or lips |
| Subcategory Systemic Disease Manifest. Jaw | 621833 | | |
| Endocrine disorders | 628791 | | |
| Adrenogenital disorders | 457871 | Congenital adrenal hyperplasia | Genetically determined deficiency of cortisol due to insufficient biosynthesis of steroid 21 -hydroxylase |
| Cushing's syndrome | 911705 | Hypercortisolism | A condition caused by prolonged exposure to excess levels of cortisol (hydrocortisone) or other glucocorticoids from endogenous or exogenous sources; hypercortisolism |
| Hyperaldosteronism | 697900 | Primary (Conn Syndrome) | A condition caused by the overproduction of ALDOSTERONE. It is characterized by sodium retention and potassium excretion with resultant HYPERTENSION and HYPOKALEMIA |
| Hyperpituitarism (acromegaly) | 914129 | Pituitary hyperfunction;Anterior pituitary hyperfunction | Disease of the glandular, anterior portion of the pituitary (PITUITARY GLAND, ANTERIOR) resulting in hypersecretion of ADENOHYPOPHYSAL HORMONES such as GROWTH HORMONE; PROLACTIN; THYROTROPIN; LUTEINIZING HORMONE; FOLLICLE STIMULATING HORMONE ; and ADRENOCORTICOTROPIC HORMONE |

| Description | Concept ID | Synonyms | Definition |
|--|------------|--|---|
| Hyperthyroidism (Grave's Disease) | 108350 | Basedow's disease | A common form of hyperthyroidism with a diffuse hyperplastic goiter. It is an autoimmune disorder that produces antibodies against the thyroid stimulating hormone receptor |
| Hypoparathyroidism/Pseudohypoparathyroidism | 568424 | | Decreased function of the parathyroid glands, leading to decreased levels of parathyroid hormone |
| Hypothyroidism (myxedema) | 259420 | | A syndrome that results from abnormally low secretion of thyroid hormones from the thyroid gland, leading to a decrease in basal metabolic rate |
| Insulin-dependent diabetes mellitus | 472572 | Type I Diabetes | A subtype of DIABETES MELLITUS that is characterized by INSULIN deficiency. It is manifested by the sudden onset of severe HYPERGLYCEMIA, rapid progression to DIABETIC KETOACIDOSIS, and DEATH unless treated with insulin |
| Non-insulin-dependent diabetes mellitus | 383086 | Type II Diabetes | A subclass of DIABETES MELLITUS that is not INSULIN-responsive or dependent (NIDDM). It is characterized initially by INSULIN RESISTANCE and HYPERINSULINEMIA; and eventually by GLUCOSE INTOLERANCE; HYPERGLYCEMIA; and overt diabetes |
| Pituitary-dependent Cushing's disease | 613027 | Pituitary dependent hypercortisolism (disorder) | Overproduction of ACTH |
| Hypopituitarism | 701759 | Pituitary deficiency;Pituitary hypofunction;Pituitary insufficiency, Pituitary failure | Diminution or cessation of secretion of one or more hormones from the anterior pituitary gland |
| Primary adrenocortical insufficiency (Addison's disease) | 253833 | Primary hypoadrenalism | An adrenal disease characterized by the progressive destruction of the ADRENAL CORTEX, resulting in insufficient production of ALDOSTERONE and HYDROCORTISONE. Clinical symptoms include ANOREXIA; NAUSEA; WEIGHT LOSS; MUSCLE WEAKNESS; and HYPERPIGMENTATION of the SKIN due to increase in circulating levels of ACTH precursor hormone which stimulates MELANOCYTES |
| Hypothyroidism, unspecified, incl myxoedema NOS | 861991 | | A syndrome that results from abnormally low secretion of THYROID HORMONES from the THYROID GLAND, leading to a decrease in BASAL METABOLIC RATE |
| Other adrenocortical overactivity | 751272 | Other adrenocortical overactivity (disorder) | Other adrenocortical overactivity (disorder) |
| Hyperparathyroidism | 955912 | | Condition of abnormally elevated output of PARATHYROID HORMONE (or PTH) triggering responses that increase blood CALCIUM |
| Anorexia nervosa | 895936 | | An eating disorder characterized by refusal to maintain a healthy body weight and an obsessive fear of gaining weight |
| Behçet's disease | 261134 | Behcet's disease affecting oral mucosa;Oral ulceration due to Behcet's disease | Rare chronic inflammatory disease involving the small blood vessels. It is of unknown etiology and characterized by mucocutaneous ulceration in the mouth and genital region and uveitis with hypopyon |
| Bulimia nervosa | 634590 | | An eating disorder that is characterized by a cycle of binge eating (bulimia or bingeing) followed by inappropriate acts (purging) to avert weight gain |

| Description | Concept ID | Synonyms | Definition |
|--|------------|---|---|
| Dermatopolymyositis | 425250 | Dermatopolymyositis, unspecified (disorder) | A subacute or chronic inflammatory disease of muscle and skin, marked by proximal muscle weakness and a characteristic skin rash. The illness occurs with approximately equal frequency in children and adults. The skin lesions usually take the form of a purplish rash (or less often an exfoliative dermatitis) involving the nose, cheeks, forehead, upper trunk, and arms. The disease is associated with a complement mediated intramuscular microangiopathy, leading to loss of capillaries, muscle ischemia, muscle-fiber necrosis, and perifascicular atrophy. The childhood form of this disease tends to evolve into a systemic vasculitis. Dermatomyositis may occur in association with malignant neoplasms |
| Diffuse (eosinophilic) fasciitis | 771101 | Shulman syndrome | Condition which is characterized by a diffuse sclerosis, predominantly involving the fibrous septa of the subcutis and deep fascia, a high ESR, hypergammaglobulinaemia and peripheral eosinophilia |
| Osteoporosis | 624178 | | |
| Osteoporosis (without pathological fracture) | 146238 | Osteoporosis | Reduction of bone mass without alteration in the composition of bone |
| Osteoporosis (with pathological fracture) | 146237 | Pathological fracture due to osteoporosis | Reduction of bone mass without alteration in the composition of bone, leading to fractures |
| Osteoporosis of disuse with pathological fracture | 497540 | | Osteoporosis of disuse with pathological fracture (disorder) |
| Postmenopausal osteoporosis | 423843 | Primary osteoporosis (disorder) | Postmenopausal reduction of bone mass without alteration in the composition of bone, leading to fractures |
| Postoophorectomy osteoporosis | 297191 | Secondary osteoporosis (disorder) | reduction of bone mass following oophorectomy without alteration in the composition of bone, leading to fractures |
| Postsurgical malabsorption osteoporosis | 762992 | Postoperative malabsorption osteoporosis | Postsurgical malabsorption osteoporosis |
| Drug-induced osteoporosis with pathological fracture | 533332 | | Drug-induced osteoporosis with pathological fracture (disorder) |
| Other osteoporosis with pathological fracture | 411144 | | Other osteoporosis with pathological fracture |
| Idiopathic osteoporosis with pathological fracture | 301991 | | Idiopathic osteoporosis with pathological fracture (disorder) |
| Hypermobility syndrome | 401888 | | Familial ligamentous laxity |
| Hypophosphatasia | 468751 | | Inborn error of metabolism resulting from serum and bone alkaline phosphatase deficiency |
| Hypophosphatemia | 455937 | | A condition of an abnormally low level of phosphates in the blood |
| Multifocal fibrosclerosis | 877450 | | Conglomeration of pathologically similar lesions occurring in varying combinations and various anatomical sites that include retroperitoneal fibrosis, sclerosing cholangitis, mediastinal fibrosis |